

ARLEC

catalogue | 09

quality consumer products



ARLEC

Wiring Accessories		01	Under Cabinet Lighting		51
Leads and Powerboards		10	Lamps		53
Movement Activated Lighting		19	Festive Lighting		54
Security		22	Truck & Trailer LED Lamps		59
Plug-in Electrical Timers		25	Tools and Accessories		61
Torches and Batteries		27	Power Supplies and Transformers		62
Door Chimes		35			
Battery Chargers		38			
Cooling		40			
Exhaust Fans		43			
High Voltage Lights		44			
Low Voltage Lights - Garden		47			



ANTSIG

Audio Video		64
Antenna Accessories		74
Antenna Indoor		81
Antenna Outdoor		82

contents | 09

Wiring Accessories

W7101T Single Switch Wall Plate

Switch rating 250 volt 10 amp - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644052012**



W7102T Twin Switch Wall Plate

Switch rating 250 volt 10 amp - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644052029**



W7201T Single Power Point

Switch rating 250 volt 10 amp with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644052036**



W7202T Double Power Point

Switch rating 250 volt 10 amp with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644052043**



W9101T Single Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644022244**



W9102T Twin Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644022251**



W9103T Triple Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644022268**



W9104T Quad Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644022275**



W9105T Five Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644031253**



W9106T Six Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty **10**
APN **9311644031260**



Wiring Accessories

W9111T

Single Switch with Archtrave Plate

Attractive clip on front surround.
Switch rating 250V, 10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644022282



W9112T

Twin Switch with Archtrave Plate

Attractive clip on front surround.
Switch rating 250V, 10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644022299



W9113T

Triple Archtrave Switch

Attractive clip on front surround.
Switch rating 250V, 10A - loop terminal included.
Australian and New Zealand Standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644041504



W9201T

Single Power Point

Attractive clip on front surround.
Switch rating 250V, 10A with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644022305



W9202T

Double Power Point

Attractive clip on front surround.
Switch rating 250V, 10A with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644022312



W9203T

Single Power Point with Extra Switch

Attractive clip on front surround.
Switch rating 250V, 10A with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644031208



W9204T

Double Power Point with Extra Switch

Attractive clip on front surround.
Switch rating 250V, 10A with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644022725



W9205T

Single Vertical Power Point

Attractive clip on front surround.
Switch rating 250V, 10A with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644031215



W9206T

Double Vertical Power Point

Attractive clip on front surround.
Switch rating 250V, 10A with "X" marking.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644031222



W9215T

Single Powerpoint 15A

Attractive clip on front surround.
General purpose outlet rated 250V 15A, switched.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644041511



Wiring Accessories

W9216T

Double Powerpoint - 15 amp

Double general purpose outlet rated 250v 15A, switched. Clip-on front surround. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty 10
APN 9311644041528



W9214T

4 Outlet Powerpoint - 10 amp

Attractive clip on front surround. Switch rating 250V, 10A. 84mm mounting hole centres match all standard stud and wall brackets. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty 10
APN 9311644049111



W9328T

Slimline Single Powerpoint

General purpose outer clip-on surround. Rated 250v 10A 46 x 96mm plate size. Australian and New Zealand Standards approved. Packaged: Trade pack

Pack Qty 10
APN 9311644041535



W9017T

Plug Base Outlet

Unswitched outlet rated 250 volt ac, 10 amp. Tough poly carbonate housing. 50mm mounting hole centres. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty 10
APN 9311644027775



W9018T

Plug Base Rear Cover Trade Pack

Rear mounting cover, suits Arlec W9017T plug base. Cover snaps on, provides insulated backing, fixing means and wiring tie points. Tough poly carbonate material. Packaged: Trade pack

Pack Qty 10
APN 9311644031239



W9000T

Switch Mechanism

SPDT mechanism to suit 9000 series wall and architrave plates. Rating 250v 10A with x marking with loop terminal. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty 20
APN 9311644041498



W9121T

Wall Mount Light Dimmer

Attractive clip on front surround. Switch rating 250V, 10A - loop terminal included. Dimmer rating 400VA. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty 10
APN 9311644032069



W9109T

Blank Wall Plate

Attractive clip on front surround. Universal blank plate. Standard mounting hole centres. Packaged: Trade pack

Pack Qty 10
APN 9311644031192



W9191T

Single Outdoor Light Switch

Switch for outdoor installation, IP44 rated. Switch rating 250v 10A - Loop terminal included. Housing incorporates mounting base with cable entry knock outs. Packaged: Trade pack

Pack Qty 10
APN 9311644041566



W9192T

Double Outdoor Light Switch

Double switch for outdoor installation, IP44 rated. Switch rating 250v 10A - Loop terminal included. Housing incorporates mounting base with cable entry knockouts. Packaged: Trade pack

Pack Qty 10
APN 9311644041573



Wiring Accessories

W9291T Single Outdoor Powerpoint

General purpose outlet for outdoor installation, IP23 rated. 250v 10A rated with switch. Housing incorporates mounting base with cable entry knockouts. Packaged: Trade pack

Pack Qty 10
APN 9311644041542



W9292T Double Outdoor Powerpoint

Double general purpose outlet for outdoor installation, IP23 rated. 250v 10A rated with switch. Housing incorporates mounting base with cable entry knockouts. Packaged: Trade pack

Pack Qty 10
APN 9311644041559



W9326T Single Architrave Mounting Block

36mm depth mount block. Fits Arlec single switch architrave plate. Packaged: Trade pack

Pack Qty 10
APN 9311644041689



W9329T Double Architrave Mounting Block

36mm depth mount block. Fits Arlec single switch architrave plate. Packaged: Trade pack

Pack Qty 10
APN 9311644041696



W9066T Raised Mounting Block 18mm

18 mm depth mounting block. Fits Arlec Power wall plates and Power points. Multi positioned mounting holes. Packaged: Trade pack

Pack Qty 10
APN 9311644031185



W9065T Raised Mounting Block 36mm

36 mm depth mounting block. Fits Arlec Power wall plates and power points. Multi positioned mounting. Packaged: Trade pack

Pack Qty 10
APN 9311644030881



W9051T Wall Mount Bracket

Strong galvanised steel construction. Three central mounting holes tapped to M3.5 x 0.8mm pitch. For plaster wall board mounting applications. Packaged: Trade pack

Pack Qty 10
APN 9311644026556



W9050T Stud Mount Bracket

Strong galvanised steel construction. Two central mounting holes tapped to M3.5 x 0.8mm pitch. For wall stud mounting applications. Packaged: Trade pack

Pack Qty 10
APN 9311644026549



W9325T Small Junction Box

Junction box with 3 integral terminals, each with 6mm diameter hole and 2 screws. Packaged: Trade pack

Pack Qty 10
APN 9311644041672



W9070T Junction Box

2 single and 1 double insulated connectors included. 40A rated connectors suit up to 2 x 6mm cable. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty 10
APN 9311644022237



Wiring Accessories

W9071T

Large Junction Box

3 single and 1 double insulated connector included. 40A rated connectors suit up to 2 x 6mm. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty **10**
APN **9311644031246**



W9340T

Insulated Connectors

Insulated 40 amp screw connectors. Pack of 8. Packaged: Trade pack

Pack Qty **10**
APN **9311644041801**



W9330T

Side Entry Plug Top White - 10 amp

Suits 3 core 0.75mm² and 1.00mm² flexible cords. Complies with Australian and New Zealand standards. Packaged: Trade pack

Pack Qty **10**
APN **9311644041702**



W9332T

Side Entry Plug Top Grey - 10 amp

Grey - 10 amp. Suits 3 core 0.75mm² and 1.00mm² flexible cords. Complies with Australian and New Zealand standards. Packaged: Trade pack

Pack Qty **10**
APN **9311644041719**




W9331T

Plug Top Clear - 10 amp

Clear - 10 Amp. Suits core 0.75mm² and 1.00mm² flexible cords. Australian and New Zealand standards approved. Packaged: Trade pack

Pack Qty **10**
APN **9311644041726**



W9336T

Back Entry Grey Plug Top Grey - 10 amp

Grey - 10 Amp. Suits core 0.75mm² and 1.00mm² flexible cords. Complies with Australian and New Zealand standards. Packaged: Trade pack

Pack Qty **10**
APN **9311644041733**



W9339T

Back Entry White Plug Top White - 10 amp

Suits core 0.75mm² and 1.00mm² flexible cords. Complies with Australian and New Zealand standards. Packaged: Trade pack

Pack Qty **10**
APN **9311644041740**



W9334T

Extension Cord Socket Clear - 10 amp

Clear - 10 amp. Suits 3 core 0.75mm² and 1.00mm² flexible cords. Complies with Australian and New Zealand standards. Packaged: Trade pack

Pack Qty **10**
APN **9311644041764**



W9338T

Extension Cord Socket White - 10 amp

Suits 3 core, 0.7mm² and 100mm² flexible cords. Complies with Australian and New Zealand standards. Packaged: Trade pack

Pack Qty **10**
APN **9311644041771**



W9341T

Grey Socket - 10 amp

Grey - 10 amp. Suits 3 core 0.75mm² and 1.00mm² flexible cords. Complies with Australian and New Zealand standards. Packaged: Trade pack

Pack Qty **10**
APN **9311644041788**



Wiring Accessories

W9343T

Extension Cord Socket Clear - 15 amp

Suits 3 core 1.5mm² ordinary duty flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Trade pack

Pack Qty 10
APN 9311644041795



W9342T

Plug Top Clear - 15 amp

Suits 3 core 1.5mm² ordinary duty flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Trade pack

Pack Qty 10
APN 9311644041757



W9511T

TV Outlet with Wallplate

Attractive clip on front surround.
Standard 75 ohm coaxial socket.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644022732



W9401T

Batten Lamp Holder

Tough poly carbonate base.
Standard B22 size bayonet type.
Australian and New Zealand standards approved.
Packaged: Trade pack

Pack Qty 10
APN 9311644022329



9101BL

Single Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024279



9102BL

Twin Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024286



9103BL

Triple Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024293



9104BL

Quad Switch with Wall Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024309



9111BL

Single Switch with Architrave Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024316



9112BL

Twin Switch with Architrave Plate

Attractive clip on front surround. Switch rating 250V,
10A - loop terminal included.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024323



Wiring Accessories

9201BL Single Power Point

Attractive clip on front surround. Switch rating 250V, 10A with "X" marking. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644024347



9202BL Double Power Point

Attractive clip on front surround. Switch rating 250V, 10A with "X" marking. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644024354



9203BL Single Power Point with Extra Switch

Attractive clip on front surround. Switch rating 250V, 10A with "X" marking. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644031895



9204BL Double Power Point with Extra Switch

Attractive clip on front surround. Switch rating 250V, 10A with "X" marking. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644024361



9205BL Single Vertical Power Point

Attractive clip on front surround. Switch rating 250V, 10A with "X" marking. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644031154



9206BL Double Vertical Power Point

Attractive clip on front surround. Switch rating 250V, 10A with "X" marking. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644031161



9214BL Four Outlet Power Point

Attractive clip on front surround. Switch rating 250 volt 10 amp. 84mm mounting hole centres match all standard stud and wall brackets. Australian and New Zealand standards approved. Packaged: Blister

Pack Qty 5
APN 9311644052050



9017BL Plug Base Outlet

Unswitched outlet rated 250 volt ac, 10 amp. Tough poly carbonate housing. 50mm mounting hole centres. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644024330



9121BL Wall Mount Light Dimmer

Attractive clip on front surround. Switch rating 250V, 10A - loop terminal included. Dimmer rating 400VA. Australian and New Zealand standards approved. Packaged: Blister pack

Pack Qty 5
APN 9311644031888



9109BL Blank Wall Plate

Attractive clip on front surround. Universal blank plate. Standard mounting hole centres. Packaged: Blister pack

Pack Qty 5
APN 9311644031871



Wiring Accessories

9065BL Raised Mounting Block 36mm

36 mm depth mounting block.
Fits Arlec Power wall plates and power points.
Multi positioned mounting.
Packaged: Blister pack

Pack Qty 5
APN 9311644030898



9066BL Raised Mounting Block 18mm

18 mm depth mounting block.
Fits Arlec Power wall plates and Power points.
Multi positioned mounting holes.
Packaged: Blister pack

Pack Qty 5
APN 9311644031901



9050BL Stud Mount Bracket

Strong galvanised steel construction. Two central mounting holes tapped to M3.5 x 0.8mm pitch.
For wall stud mounting applications
Packaged: Blister pack

Pack Qty 5
APN 9311644024378



9051BL Wall Mount Bracket

Strong galvanised steel construction. Three central mounting holes tapped to M3.5 x 0.8mm pitch.
For plaster wall board mounting applications.
Packaged: Blister pack

Pack Qty 5
APN 9311644024385



9071BL Large Junction Box

3 single and 1 double insulated connector included.
40A rated connectors suit up to 2 x 6mm.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644031918



9070BL Junction Box

2 single and 1 double insulated connectors included.
40A rated connectors suit up to 2 x 6mm cable.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024392



9332BL Side Entry Grey Plug Top

Grey - 10 amp.
Suits 3 core 0.75mm² and 1.00mm² flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Blister pack

Pack Qty 5
APN 9311644048084



9330BL Side Entry White Plug Top White - 10 amp.

Suits 3 core 0.75mm² and 1.00mm² flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Blister pack

Pack Qty 5
APN 9311644048060



9339BL Back Entry White Plug Top White - 10 amp.

Suits core 0.75mm² and 1.00mm² flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Blister pack

Pack Qty 5
APN 9311644048107



9331BL Back Entry Clear Plug Top Clear - 10 amp.

Suits core 0.75mm² and 1.00mm² flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Blister pack

Pack Qty 5
APN 9311644048077



Wiring Accessories

9334BL Socket Clear - 10 amp

Clear - 10 amp.
Suits 3 core 0.75mm² and 1.00mm² flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Blister pack

Pack Qty 5
APN 9311644048114



9336BL Back Entry Grey Plug Top Grey - 10 Amp.

Suits core 0.75mm² and 1.00mm² flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Blister pack

Pack Qty 5
APN 9311644048091



9341BL Socket Grey - 10 amp

Suits 3 core 0.75mm² and 1.00mm² flexible cords.
Complies with Australian and New Zealand standards.
Packaged: Blister pack

Pack Qty 5
APN 9311644048121



9511BL TV Outlet with Wallplate

Attractive clip on front surround. Standard 75 ohm
coaxial socket.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024408











9401BL Batten Lamp Holder

Tough poly carbonate base. Standard B22 size bayonet
type.
Australian and New Zealand standards approved.
Packaged: Blister pack

Pack Qty 5
APN 9311644024415



Leads & Powerboards

<p>WEL2 2 metre Domestic Extension Lead</p> <p>Regular 2 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644014607</p>		<p>WEL3 3 metre Domestic Extension Lead</p> <p>Regular 3 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644014614</p>	
<p>WEL5 5 metre Domestic Extension Lead</p> <p>Regular 5 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644014621</p>		<p>WEL7 7 metre Domestic Extension Lead</p> <p>Regular 7 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644014638</p>	
<p>WEL10 10 metre Domestic Extension Lead</p> <p>Regular 10 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644014645</p>		<p>WEL15 15 metre Domestic Extension Lead</p> <p>Regular 15 metre extension lead for home or other use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644014911</p>	
<p>WEL20 20 metre Domestic Extension Lead</p> <p>Regular 20 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644014928</p>		<p>WEL3G 3 metre Green Extension Lead</p> <p>Regular 3 metre extension lead for home or other use. 240 volt 10 amp rating. Green in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644053231</p>	
<p>WEL18D Dual Output Split Lead</p> <p>Simple low cost alternative for multiple appliances. One lead now powers two appliances. Single 1.5 meter cable run to split junction. 0.3 meter cable runs from split junction to each individual 240 volt socket. Ordinary duty white colour 10 amp cable. Packaged: Wrap around card</p> <p>Pack Qty 4 APN 9311644045236</p>		<p>SPL2 2 metre Smart Lead</p> <p>2 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card</p> <p>Pack Qty 6 APN 9311644012085</p>	

Leads & Powerboards

SPL3 3 metre Smart Lead

3 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012092



SPL5 5 metre Smart Lead

5 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012108



SPL7 7 metre Smart Lead

7 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012115



SPL10 10 metre Smart Lead

10 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012122



PPEL1 1 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020264



PPEL2 2 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020271



PPEL4 4 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020295



PPEL7 7 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020325



BEL10 10 metre Heavy Duty Extension Lead

Heavy duty PVC sheath to withstand rough usage. Plug and socket rating 240 volt 10 amp. Cable rating 10 amp. Ideal for all garden, garage & workshop applications. Fully moulded clear plug and socket allows for safety inspection. Colour Red with Blue Stripe. Complies with Australian Standards.

Pack Qty 6

APN 931164401405



BEL25 25 metre Heavy Duty Extension Lead











Heavy duty PVC sheath to withstand rough usage. Plug and socket rating 240 volt 10 amp. Cable rating 10 amp. Ideal for all garden, garage & workshop applications. Fully moulded clear plug and socket allows for safety inspection. Colour Red with Blue Stripe. Complies with Australian Standards.

Pack Qty 6

APN 9311644013655



Leads & Powerboards

<p>YEL05 5 metre Heavy Duty Extension Lead</p> <p>5 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use. Packaged: Wrap around card Pack Qty 6 APN 9311644012412</p>		<p>YEL10 10 metre Heavy Duty Extension Lead</p> <p>10 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use. Packaged: Wrap around card Pack Qty 6 APN 9311644012429</p>	
<p>YEL15 15 metre Heavy Duty Extension Lead</p> <p>15 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use. Packaged: Wrap around card Pack Qty 6 APN 9311644012436</p>		<p>YEL20 20 metre Heavy Duty Extension Lead</p> <p>20 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use. Packaged: Wrap around card Pack Qty 4 APN 9311644012443</p>	
<p>YEL25 25 metre Heavy Duty Extension Lead</p> <p>25 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use. Packaged: Wrap around card Pack Qty 4 APN 9311644015246</p>		<p>YEL30 30 metre Heavy Duty Extension Lead</p> <p>30 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshop, tradesman and general outdoor use. Packaged: Wrap around card Pack Qty 4 APN 9311644027980</p>	
<p>YEL18D Dual Output Heavy Duty Split Lead</p> <p>Simple low cost alternative for multiple appliances. One lead now powers two appliances. Single 1.5 meter cable run to split junction. 0.3 meter cable runs from split junction to each individual 240 volt socket. Heavy duty high visibility yellow colour 10 amp cable. Packaged: Wrap around card Pack Qty 4 APN 9311644045243</p>		<p>CEL 10 10 metre Caravan Extension Lead</p> <p>Plug and socket rating 240 volt 15 amp with wide blade earth terminals (Note: not suitable for use with standard domestic powerpoints). 15 Amp (1.5mm sq.) flex. For caravans, boats, welders and all high power applications. High visibility orange colour cable with clear plug and socket. Pack Qty 4 APN 9311644033448</p>	
<p>CEL 15 15 metre Caravan Extension Lead</p> <p>Plug and socket rating 240 volt 15 amp with wide blade earth terminals (Note: not suitable for use with standard domestic powerpoints). 15 Amp (1.5mm sq.) flex. For caravans, boats, welders and all high power applications. High visibility orange colour cable with clear plug and socket. Pack Qty 4 APN 9311644022534</p>		<p>CEL 20 20 metre Caravan Extension Lead</p> <p>Plug and socket rating 240 volt 15 amp with wide blade earth terminals (Note: not suitable for use with standard domestic powerpoints). 15 Amp (1.5mm sq.) flex. For caravans, boats, welders and all high power applications. High visibility orange colour cable with clear plug and socket. Pack Qty 4 APN 9311644033431</p>	

Leads & Powerboards

REL10 10 metre Extra Heavy Duty Extension Lead

10 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 6
APN 9311644013433



REL15 15 metre Extra Heavy Duty Extension Lead

15 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 6
APN 9311644013440



REL20 20 metre Extra Heavy Duty Extension Lead

20 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 4
APN 9311644013457



REL30 30 metre Extra Heavy Duty Extension Lead

30 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 4
APN 9311644013464



ELR1 Extension Cord Storage Reel

Robust metal stand with strong polypropylene reel. Holds up to 30 metres of regular duty lead. Storage convenience – prevents leads from tangling. Ideal for tradesmen, caravan, camping, home and garage. Packaged: Reel

Pack Qty 4
APN 9311644014867



ELR2 Twin Socket Extension Cord Reel

Robust metal stand with polypropylene reel and clips to hold free ends of cord. Built in twin 240 volt 10 Amp sockets. 15 Metres heavy duty (colour red and blue striped) extension cord included. Cable plug and insulation rating 10 Amp. Ideal for home, garden and workshop applications. Packaged: Reel

Pack Qty 2
APN 9311644022213



ELR25Y 25 metre Heavy Duty Extension Lead on Reel

Robust metal stand with polypropylene reel. Reel has clips to hold free ends of cord. 25 Metres heavy duty extension cord included (colour- high visibility yellow). Cable rating 10 Amp and insulation rating heavy duty. Plug & socket rating 240 volt 10 Amp. Ideal for home, garden and workshop applications.

Pack Qty 2
APN 9311644032243



CL1 Cord Safe

Holds plug and socket together. Prevents accidental disconnection, reduces hazards, and protects connection from outdoor weather conditions. Adjustable to suit most extension lead plug and socket combinations. Ideal for tradesmen, caravan, camping, power tools and outdoor lighting. Packaged: Wrap around card

Pack Qty 6
APN 9311644014201



DEF8 4 Outlet Chain Socket Extension Lead

Each outlet with individual (double pole) On/Off rocker switch. 2 Metre mains input lead. Rating 240 volt, maximum total load 10 amp 2400 watt. Overload protected - manual reset function. Can be wall mounted. Ideal for home, garden, office and workshop applications. Packaged: Colour carton


Pack Qty 4
APN 9311644041863



DES12 6 Outlet Chain Socket Extension Lead

Each outlet with individual (double pole) On/Off rocker switch. 2 Metre mains input lead. Rating 240 volt, maximum total load 10 amp 2400 watt. Overload protected - manual reset function. Can be wall mounted. Ideal for home, garden, office and workshop applications. Packaged: Colour carton

Pack Qty 4
APN 9311644041870



Leads & Powerboards

DEF-4 4 Outlet Multi Twin Extension Lead

Multi Outlet extension lead - Four twin outlet sockets with 1 metre cord between. Each socket with switch. Overload protected.
Packaged: Colour carton


Pack Qty 4
APN 9311644048961



DEF4-S 4 Outlet Multi Twin Extension Lead - Surge Protected

Multi Outlet extension lead - Four twin outlet sockets with 1 metre cord between. Each socket with switch. Surge protected and overload protected.
Packaged: Colour carton

Pack Qty 4
APN 9311644048978



DA10 Double Adaptor

240 volt 10 amp (2400 watt) rating. Space saving slimline design. Plugs in vertically.
Packaged: Polybag with header card

Pack Qty 12
APN 9311644000129



DA12 Right Hand Version Double Adaptor

Rating 240 volt 10 amp 2400 watt. Unique space saving horizontal style. Right hand version. White colour
Packaged: Polybag with header card

Pack Qty 12
APN 9311644016608



DA13 Left Hand Version Double Adaptor

Rating 240 volt 10 amp 2400 watt. Unique space saving horizontal style. Left hand version. White colour.
Packaged: Polybag with header card

Pack Qty 12
APN 9311644046131



DA16 Right Hand & Left Hand Double Adaptor Twin Pack

Rating 240 volt 10 amp 2400 watt. Unique space saving horizontal style. Right hand and left hand version. White colour.
Packaged: Wrap around card

Pack Qty 12
APN 9311644041013



DA11 Surge Protected Double Adaptor

Incorporates surge protector - 100 joule energy absorption, reaction time less than 25n seconds, clamping voltage 775 volt. Protects against potentially damaging voltage surges and spikes. Light indicates surge protection is in operation. Rating 240 volt 10 amp 2400 watt.
Packaged: Polybag with header card

Pack Qty 12
APN 9311644016595



DA14 Plug-In Power Surge Protector

Operating/Output socket Rating 240 volt 10 amp 2400 watt. Protects against potentially damaging voltage surges and spikes. Light indicates surge protection is in operation. Unique space saving vertical design.
Packaged: Polybag with header card

Pack Qty 12
APN 9311644016618



DA15 Power and Phone Line Surge Protector

Slimline Double Adaptor with additional surge protection for telephone / modem line. Consists of one metal oxide varistor device connected between the active and neutral conductors and one 230V DC 10Ka Gas Surge Arrestor connected across the incoming telephone/modem line.
Packaged: Polybag with header card

Pack Qty 12
APN 9311644021902



FWP 4 Outlet Powerboard

Slimline Powerboard - 4 outlet. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord.
Packaged: Polybag with header card

Pack Qty 12
APN 9311644015994



Leads & Powerboards

FWP-S

4 Outlet Surge Protected Powerboard

Slimline Powerboard - 4 outlet with surge protection. Incorporates surge protector. Incorporates RFI filter device. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord. Light indicates surge protection is in operation. Packaged: Polybag with header card

Pack Qty 6

APN 9311644021513



FWP-R

4 Outlet Powerboard with Safety Switch

Mains plug with built-in Residual Current Device (RCD) Safety Switch for protection against electric shock. Easy to test. Plugs into a standard 240 volt wall socket. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord. Packaged: Polybag with header card

Pack Qty 6

APN 9311644046585



KP5

Combo Pack

24 Hour timer, 2 metre domestic extension lead and 4 outlet surge protected Powerboard. All items rated 240 volt, 10 amp, 2400 watt. Timer has 48 on and 48 off switchings available every 24 hours. Powerboard contains overload protection with manual reset function. Packaged: Polybag with header card

Pack Qty 4

APN 9311644047315



PBCT

Power Disc 4 Outlet Powerboard

Circular entertainment Powerboard - 4 outlet. Silver and black case colours designed to match and compliment home entertainment systems. Inconspicuous partner to TV, DVD Hi-fi, Video systems. Rating 240 volt 10 amp 2400 watt. Built-in cord management for tidy appearance and easy storage. Overload protection - manual reset function. Packaged: Shrinkwrap plastic hanger card

Pack Qty 4

APN 9311644034285



PB41T

4 Outlet Surge Protected Entertainment Powerboard

Silver and Black case colours designed to match and complement home entertainment systems. (Case top silver / case bottom black). Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. Extra length 1.8 metre mains cord. Packaged: Clamshell

Pack Qty 6

APN 9311644033735



PB41

4 Outlet Slimline Powerboard with Surge Protector

Slimline design. 4 Outlet. Surge protection with LED light indicator. Assists in protecting appliances from damage caused by voltage surges, eg. computers and Hi-fi's. 240 volt 10 amp (2400 watt) rating. Can be wall mounted. 1 metre mains cord. Packaged: Printed window carton

Pack Qty 6

APN 9311644009160



SWP

6 Outlet Powerboard

Slimline Powerboard - 6 outlet. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord. Can be wall mounted. Packaged: Polybag with header card

Pack Qty 12

APN 9311644016007



SWP-S

6 Outlet Surge Protected Powerboard

Slimline Powerboard - 6 outlet with surge protection. Incorporates surge protector. RFI filter device. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord. Light indicates surge protection is in operation. Packaged: Polybag with header card

Pack Qty 6

APN 9311644030669



SWP-L

6 Outlet Plug Pack Powerboard

Slimline Powerboard - 6 outlet. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. With extra spacing between the last 3 outlets for transformer pluggacks, AC adaptors and battery chargers. Ideal for use with both household and office products. 1 metre mains cord. Packaged: Polybag with header card

Pack Qty 6

APN 9311644031451



SWP-LS

6 Outlet Surge Protected Plug Pack Powerboard

Slimline Powerboard - 6 outlet with surge protection. With extra spacing between last 3 outlets for transformer pluggacks, AC adaptors and battery chargers. Incorporates surge protector. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord. Polybag with header card

Pack Qty 6

APN 9311644030652



Leads & Powerboards

PB61

6 Outlet Slimline Powerboard with Surge Protector

Slimline design. 6 Outlet. Surge protection with LED light indicator. Assists in protecting appliances from damage caused by voltage surges, eg. computers and Hi-fi's. 240 volt 10 amp (2400 watt) rating. Can be wall mounted. 1 metre mains cord.

Packaged: Printed window carton

Pack Qty 12

APN 9311644011217



PB61LT

6 Outlet Surge Protected Entertainment Powerboard

Silver and Black case colours designed to match and complement home entertainment systems. (Case top silver / case bottom black). Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. Extra length 1.8 metre mains cord. Extra spacing between last 3 Outlets. Packaged: Clamshell

Pack Qty 6

APN 9311644033745



PB63

Surge and Data Protected 6 Outlet Powerboard

6 Outlet Slimline Powerboard - 6 outlet with surge protection. Additional surge protection for telephone / modem line (6P4C). Rating 240 volt 10 amp 2400 watt. Overload protected with manual re-set function. Packaged: Clamshell

Pack Qty 6

APN 9311644040057



PB44

Individually Switched 4 Outlet Powerboard

Slimline Powerboard - 4 outlet, each with individual ON/OFF switch. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord. Packaged: Printed window carton

Pack Qty 12

APN 9311644019190



PB44K3

4 Outlet Switched Powerboard with 3 Metre Lead

Slimline Powerboard - 4 outlet, each with individual ON/OFF switch. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 3 metre mains cord. Packaged: Printed window carton

Pack Qty 4

APN 9311644048688



PB44T

4 Outlet Individually Switched Entertainment Powerboard

Silver and Black case colours designed to match and complement home entertainment systems. (Case top silver / case bottom black). Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. Extra length 1.8 metre mains cord. Individual On/OFF switches. Packaged: Clamshell

Pack Qty 4

APN 9311644033714



PB45

Surge Protected 4 Outlet Individually Switched Powerboard

Slimline Powerboard - 4 outlet, each with individual ON/OFF switch. Incorporates surge protection circuitry. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. Indicator light to indicate that the surge protection circuitry is in operation. 1 metre mains cord. Can be wall mounted.

Pack Qty 6

APN 9311644020165



PB47ST

Individually Switched 4 Outlet Phone/Data Surge Protected Powerboard

Powerboard - 4 Outlet with surge protection. Individual ON/OFF switched. With extra spacing between last 2 outlets for transformer plugpacks. AC adaptors and battery chargers. 1m modular phone/modem cable supplied. Rating 40 volt 10 amp 240 watt. Overload protected - manual reset. Indicator light to indicate that surge protection circuitry is in operation.

Pack Qty 4

APN 9311644053422



PB66

6 Outlet Individually Switch Powerboard

Slimline Powerboard - 6 outlet, each with individual ON/OFF switch. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. 1 metre mains cord. Can be wall mounted. Packaged: Printed window carton

Pack Qty 6

APN 9311644020042



PB67

Surge Protected 6 Outlet Individually Switched Slimline Powerboard

6 outlet, each with individual ON/OFF switch. Incorporates surge protection circuitry. Rating 240 volt 10 amp 2400 watt. Overload protected - manual reset function. Indicator light to indicate that the surge protection circuitry is in operation. 1 metre mains cord. Can be wall mounted.

Pack Qty 6

APN 9311644020110



Leads & Powerboards

FWP-SU

4 Way Surge Protected USB Hub Powerboard

Slimline Powerboard with 4 outlets. Built-in USB 2.0 hub. One input and four out. Ideal for multiple connection of USB keyboards, mouse, scanners and printers. Provides easy expansion for desktop and notebook computers. Rating 240V 10 amp 2400 watt. Overload protection - manual reset function. Surge protect light indicates operation. 1 metre USB lead.

Pack Qty 6

APN 9311644049173



PB72

Home Office Surge Protected Powerboard

Protects all sensitive Home Office electronic equipment such as computers, printers, faxes, modems and scanners against damaging surges and spikes from the mains power supply and telephone line connections. 7 power outlets with surge protection across all 3 supply terminals.

Packaged: Clamshell

Pack Qty 4

APN 9311644039853



PB72G

Home Office Surge & Data Protected Powerboard

Protects all sensitive Home Office electronic equipment such as computers, printers, faxes, modems and scanners against damaging surges and spikes from the mains power supply and telephone line connections. 7 power outlets with surge protection across all 3 supply terminals.

Packaged: Clamshell

Pack Qty 4

APN 9311644051206



PB73

Home Office Surge Protected Powerboard USB Hub

7 Outlet Protects all sensitive Home Office electronic equipment such as computers, printers, faxes, modems and scanners against damaging surges and spikes from the mains power supply and telephone line connections.

Packaged: Clamshell

Pack Qty 4

APN 9311644039860



PB74

Home Theatre Powerboard

Protects all sensitive Home Theatre electronic equipment such as televisions, audio equipment, video equipment, and digital set top boxes against damaging surges and spikes from the mains power supply. 7 power outlets with surge protection across all 3 supply terminals.

Packaged: Clamshell

Pack Qty 4

APN 9311644048671



PB91

Single Outlet Safety Switch

Single outlet plug in adaptor with in-built residual current device (RCD) safety switch for protection against electric shock. Surge protected power outlet to protect against potentially damaging voltage surges and spikes. Tripping current 30mA.

Packaged: Clamshell

Pack Qty 6

APN 9311644041894



PB94

Portable Power Block-Safety Switch 4 Outlet

Portable Power Block - 4 outlet, each with individual Double Pole ON/OFF switch. Rating 240 volt 10 amp 2400 watt. Inbuilt Residual Current Device (RCD) safety switch to protect against electric shock, trip current 30mA. Overload protected 10A - manual reset function.

Packaged: Colour carton

Pack Qty 4

APN 9311644039419



PB96

Heavy Duty 4 Outlet Safety Switch

Portable Safety Switch with RCD & MCB Protection. 4 shuttered outlets, each with individual Double Pole ON/OFF switch. Rating 240 volt 10 amp 2400 watt. Inbuilt Residual Current Device (RCD) safety switch. Inbuilt MCB - Overload protected 10A - manual reset function.

Packaged: Colour carton

Pack Qty 4

APN 9311644046912



PB97

Heavy Duty Portable 4 Outlet 15A Safety Switch

Portable Safety Switch with RCD & MCB Protection. 4 shuttered outlets, each with individual Double Pole ON/OFF switch. Rating 240 volt 15 amp 2400 watt. Inbuilt Residual Current Device (RCD) safety switch to protect against electric shock, trip current 30mA.

Packaged: Colour carton with safety seal

Pack Qty 4

APN 9311644048909



PB29

4 Outlet Outdoor Power Station

Portable outdoor power centre. Four power sockets with spring loaded covers. Rating 240v 10a 2400W. Adjustable tubular metal carry stand and 1.8 metre mains cord. With safety overload protection. High impact shock resistant thermoplastic construction. Weather proof (IP44 rating). Safety approved.

Packaged: Colour carton

Pack Qty 4

APN 9311644052319



Leads & Powerboards

PB20 DIY Power Garden Stake

Portable outdoor power centre. Two power sockets with spring loaded covers. 240 volt, 10amp, 2400 watt rating. With ground stake and 1.8 metre mains cord. Weatherproof IP44. High impact shock resistant thermoplastic construction.

Packaged: Colour carton

Pack Qty 4

APN 9311644045298



PB24 4 Outlet Power Garden Stake

Portable Outdoor power centre. 4 power sockets with spring loaded covers. 240 volt, 10 amp 2400 watt rating. Complete with ground stake and 1.8 metre mains cord. Safety overload protection. High impact shock resistant thermoplastic construction. Weatherproof IP44.

Packaged: Colour carton

Pack Qty 4

APN 9311644046158



PB25 Power Garden Stake with Timer

DIY Portable outdoor power centre with timer. Two power sockets with spring loaded covers. Rating 240 volt 10 amp 2400 watt. 24 hour timer automatically controls power sockets by switching them ON and OFF at preselected times. Complete with 1.8 metre mains cord.

Packaged: Colour carton

Pack Qty 4

APN 9311644046981



PB27 DIY Power Garden Stake with Sensor

Portable outdoor power centre with movement activated sensor. Two power sockets with spring loaded covers. 240 volt 10 amp 2400 watt rating. PIR sensor switches both sockets on and off when movement is detected.

Manual override facility. Adjustable timer control.

Packaged: Colour carton

Pack Qty 4

APN 9311644048916



PB28 Remote Control Power Garden Stake

Portable outdoor power centre with remote control. Two power sockets with spring loaded covers. 240 volt 10 amp 2400 watt rating. Remote control unit allows independent operation of each socket. LED power on/off indicators for each socket. Weatherproof IP44 rated.

Packaged: Colour carton

Pack Qty 4

APN 9311644049159



Movement Activated Lighting

EL501 Stainless Steel Coach Light

Stainless steel. 60 watt Max Globe (not included).
Weather resistant IP44. Wall mount only.
Packaged: Colour carton

Pack Qty 4
APN 9311644037781



EL502 Stainless Steel Coach Light

Stainless steel. 60 watt Max Globe (not included).
Weather resistant IP44. Wall mount only.
Packaged: Colour carton

Pack Qty 1
APN 9311644038115



EL509 Stainless Steel Outdoor Spotlight

Stainless steel Light with 35 watt, 240 volt GU10
Halogen Globe (Included). Clear Glass Diffuser.
Weather resistant IP44. Modern Compact appearance.
Wall or Eave mount.
Packaged: Colour carton

Pack Qty 6
APN 9311644047704



MAL102 Stainless Steel Post Light Power Outlet

Post Light with 450mm high Stainless steel body
containing Opal PC Diffuser. 240 volt power socket with
spring loaded cover. Maximum 40 watt 240 volt E27
incandescent globe or 18 watt compact fluorescent (Not
Included). Weather resistant IP44.
Packaged: Colour carton

Pack Qty 6
APN 9311644047698



MAL413 Dual Security Floodlight with Sensor

Movement activated dual PAR38 Floodlight. For hard wiring
to 240 volt mains. Detection angle 110° (with 15 metre
range.) 90 second fixed "on" time. Weather resistant,
high impact strength, UV stabilised construction. Double
insulated. Wall or eave mount. Globes not supplied. Colour:
Black. Packaged: Colour carton

Pack Qty 6
APN 9311644015093



MAL435 DIY Security Floodlight with 2 x Par38 Globes

Movement Activated twin PAR38 Floodlight - DIY Install
plugs into existing light socket. Ready to install - fitted
with 0.5 metre long lead with bayonet adaptor plug.
Detection Angle of 120° and a detection range of 10
metres. Adjustable sensor position on swivel arm.
Packaged: Clamshell

Pack Qty 6
APN 9311644038801



MAL501 Stainless Steel Sensor Light

Stainless steel. Detection angle 110°, detection
range 12 metres. Adjustable Timer from 5 seconds
to 8 minutes. Sensor prevents daytime operation -
adjustment provided to set desired 'switch on' point.
Auto off/Manual over-ride switching function. 60 watt
Max Globe. Wall mount only. Packaged: Colour carton

Pack Qty 4
APN 9311644037774



MAL502 Stainless Steel Sensor Light

Stainless steel. Movement activated floodlight.
Detection angle 110°, detection range 12 metres.
Adjustable Timer from 5 seconds to 8 minutes. Sensor
prevents daytime operation - adjustment provided to
set desired 'switch on' point. Auto off/Manual over-ride
switching function. Packaged: Colour carton

Pack Qty 6
APN 9311644038108



MAL505 Bollard Style Stainless Steel Halogen Sensor Light

Movement Activated Light with unique compact shape.
Detection Angle 110° with detection range 6 metres.
Adjustable timer from 10 seconds to 6 minutes. Auto
off / Manual override switching function. Wall Mount
only. 40 watt 240 volt G9 type halogen globe.
Packaged: Colour carton

Pack Qty 6
APN 9311644043423



MAL506 Slimline Style Stainless Steel Halogen Sensor Light

Movement Activated Light with unique compact shape.
Detection angle 110° with detection range of 6 metres.
Adjustable timer from 10 seconds to 6 minutes. Auto off
/ manual override switching function. 40 watt 240 volt
G9 type halogen globe. Wall Mount only.
Packaged: Colour carton

Pack Qty 6
APN 9311644043430



Movement Activated Lighting

MAL507

Slimline Style SS Halogen Sensor Light

Movement Activated Light with unique compact shape. Detection angle 110° with detection range of 6 metres. Adjustable timer from 10 seconds to 6 minutes. Auto off / manual override switching function. 50 watt 240 volt GU10 type halogen globe. Wall Mount only. Packaged: Colour carton

Pack Qty 6

APN 9311644042044



MAL509

Stainless Steel Dual Halogen Sensor

Movement Activated Light with unique compact shape. Detection angle 110° with detection range of 12 metres. Adjustable timer from 10 seconds to 6 minutes. Auto off / manual override switching function. 35 watt 240 volt GU10 type halogen globe. Clear glass diffuser. Wall Mount only. Packaged: Colour carton

Pack Qty 6

APN 9311644047681



MAL519

Compact Security Twin Flood Light (White)

Movement activated twin PAR38 floodlight. Detection angle 120° (with 15 metre range.) Adjustable sensor. Daylight level and on-off time controls. Weather resistant, high impact strength, UV stabilised construction. Wall or eave mount. Globes not supplied. Colour: White. Packaged: Colour carton

Pack Qty 6

APN 9311644012337



MAL540

Compact Movement Activated Sensor 180

Stylish white eyeball style sensor. Wires in to upgrade a new or existing light(s) into a movement activated light. Stylish new, unobtrusive design. Detection angle 150°, range 12m, up/down pivot. Adjustable LUX on and run time. Test mode. Weather resistant IP44. Packaged: Blister

Pack Qty 6

APN 9311644016663




MAL541

Compact Movement Activated Sensor Silver

Stylish Silver eyeball style sensor. Wires in to upgrade a new or existing light(s) into a movement activated light. Unobtrusive design. Detection angle 150°, range 12m, up/down pivot. Adjustable LUX on and run time. Test Mode. Weather resistant IP44. Packaged: Blister

Pack Qty 4

APN 9311644049067



MAL572

Single Security Floodlight with Globe (DIY)

Movement activated single PAR38 floodlight. Easy 240 volt power point plug-in with 2 metre lead. Detection angle 150° (with 10 metre range.) Adjustable sensor. Daylight level and on-time controls. 150 watt globe included. Wall or eave mount. Colour: Black. Packaged: Clamshell

Pack Qty 6

APN 9311644012511



MAL575

150 Watt Halogen Security Floodlight

Movement activated floodlight. For hard wiring to 240 volt mains. Detection angle 150° (with 10 metre range.) Adjustable sensor. Daylight level and on-time controls. 150 watt linear halogen tube included. Weather resistant, die cast aluminium construction. Wall mount. Colour: Black. Packaged: Colour carton

Pack Qty 6

APN 9311644012351



MAL592

Colonial Coach Light (Black)

Movement activated light. Hard-wired to 240 volt mains. Detection angle 120° (with 12 metre range.) Adjustable sensor. Daylight level and on-time controls. Uses ES globes up to 75 watt (not supplied.) Weather resistant, metal construction with bevelled glass panels. Colour: Black. Packaged: Colour carton

Pack Qty 4

APN 9311644009733



MAL593

Colonial Coach Light (Green)

Movement activated light. Hard-wired to 240 volt mains. Detection angle 120° (with 12 metre range.) Adjustable sensor. Daylight level and on-time controls. Uses ES globes up to 75 watt (not supplied.) Weather resistant, metal construction with bevelled glass panels. Colour: Green. Packaged: Colour carton

Pack Qty 4

APN 9311644009740



MAL594

Colonial Coach Light (Beige)

Movement activated light. Hard-wired to 240 volt mains. Detection angle 120° (with 12 metre range.) Adjustable sensor. Daylight level and on-time controls. Uses ES globes up to 75 watt (not supplied.) Weather resistant, metal construction with bevelled glass panels. Colour: Beige. Packaged: Colour carton

Pack Qty 4

APN 9311644009757



Movement Activated Lighting

MAL606 Oyster Security Light (DIY)

Oyster light with concealed sensor. DIY fitting with bayonet adaptor. Mounts over batten holder. Detection angle 100° (with 6 metre range.) Weather resistant, high impact resistant poly-carbonate construction. Suitable for eave, ceiling or wall mount. Preset on-time 2 minutes. Colour: White. Packaged: Colour carton

Pack Qty 4
APN 9311644008408



MAL606S Oyster Security Light Stainless Steel

Movement Activated Oyster Lights with hidden sensor. DIY Fitting - mounts over existing batten holder, plug in adaptor lead. Detection Angle 100° and detection range 6 metres. Suitable for Indoor and Outdoor use. Auto off / manual override switching function.

Packaged: Colour carton
Pack Qty 4
APN 9311644046998



MAL6070R Remote Controlled 500 Watt Flood Light

DIY. 500 watt rating halogen floodlight with die cast metal housing. Range 20 metres. Suits light commercial, industrial & residential locations. Sensor prevents daytime operation. Weather resistant IP44. Supplied with a 500 watt halogen tube, 4m cord & wall bracket. 12 month guarantee. Packaged: Colour carton

Pack Qty
APN 4



MAL615 Compact Security Twin Floodlight (Black)

Movement activated twin PAR38 floodlight. Detection angle 120° (with 15 metre range.) Adjustable sensor. Daylight level and on-off time controls. Weather resistant, high impact strength, UV stabilised construction. Wall or eave mount. Globes not supplied. Colour: Black. Packaged: Colour carton

Pack Qty 6
APN 9311644000099



MAL616 Twin Security Floodlight with Sensor (DIY) White

Movement activated twin PAR38 floodlight. Fitted with bayonet adaptor plug. Detection angle 150° (with 10 metre range.) Adjustable sensor. Weather resistant, high impact strength, UV stabilised construction. Wall or eave mount. Globes not supplied. Colour: Black. Packaged: Colour carton

Pack Qty 6
APN 9311644008392



MAL617 Twin Security Floodlight with Sensor (DIY)(White)

Movement activated twin PAR38 floodlight. Mount over batten lamp holder. Conceals lead and bayonet adaptor plug. Detection angle 150° (with 10 metre range.) Adjustable sensor. Daylight level and on-time controls. Wall or eave mount. Globes not supplied. Colour: White. Packaged: Colour carton

Pack Qty 6
APN 9311644008828



MAL656 Security Floodlight with Power Point Plug-In (DIY)

Movement activated twin PAR38 floodlight. Easy 240 volt power point plug-in. Detection angle 150° (with 10 metre range.) Adjustable sensor. Daylight level and on-time controls. Wall or eave mount. Globes not supplied. Colour: Black. Packaged: Colour carton

Pack Qty 6
APN 9311644009610



MAL825 Halogen Security Floodlight with Globes (Black)

Movement activated twin PAR20 50 watt floodlight. Globes included. Detection angle 90° (with 8 metre range.) Sensitivity level and on-off time controls. Miniature, concealed sensor. Hand adjustable lamp holders. Weather resistant, high impact strength, UV stabilised construction. Wall mount. Colour: Black. Packaged: Clamshell

Pack Qty 6
APN 9311644014478



MAL856 Halogen Security Floodlight with Globes (DIY)

Movement activated twin PAR20 50 watt floodlight. Globes included. 4 metre lead attached. Detection angle 90° (with 8 metre range.) Miniature, concealed sensor. Hand adjustable lamp holders. Wall mount. Colour: Black. Packaged: Clamshell

Pack Qty 6
APN 9311644014485



Security

AM115

Mini Window/Door Alarm

Magnetic reed switch. Self contained 130dB piezo siren. Triggers when window or door is opened. DIY installation. Visually unobtrusive and simple to install. Slide switch to arm and disarm. Batteries supplied.

Packaged: Clamshell

Pack Qty 10

APN 9311644012634



AM116

Keypad Window and Door Alarm

Self contained protection alarm, sounds when door or window is opened. Powerful 130dB alarm sound. Install with velcro adhesive tape (included). Programmable security code. Code entered on keypad activates / deactivates alarm. Auto reset alarm with entry/exit time delay. Alarm takes 4 x 'AAA' batteries (not included).

Pack Qty 10

APN 9311644031673



AM117

Glass Break / Motion Alarm

Self contained motion alarm, sounds when window glass is broken, door is opened or personal property is moved. Ultra loud 110dB piezo alarm. Simply install with double-sided self adhesive tape (included). Unique coded key to arm/disarm alarm. Uses 2 x 'AAA' batteries (not supplied). Packaged: Clamshell

Pack Qty 10

APN 9311644031666



AM490

Compact Entry Detector

Welcomes visitors and deters intruders. Easy DIY installation, no wiring required. Detection area 130° within 10 metre range. Alarm or chime option. Ideal for home, office or shop.

Powered by 9 volt battery (not included).

Packaged: Clamshell

Pack Qty 4

APN 9311644004943



AM118

Compact DIY Alarm

Infra-red sensor technology announces visitors and deters intruders. 10m range with 100° detection angle. Swivel cabinet for adjustable detection angle. Ideal for homes, offices or shops. Can be installed horizontally, vertically or placed on a desk or counter. Uses standard 9v battery (not supplied). Packaged: Blister

Pack Qty 6

APN 9311644031468



MAL646

Portable Sensor Light

Movement activated sensor light. Detection angle 90° with 6 metre range. Dusk to dawn operation.

Powered by 4 x AA batteries or plug pack (not supplied). Portable safety night light is ideal for children's rooms, bathrooms, hallways or sheds.

Packaged: Clamshell

Pack Qty 6

APN 9311644007968



AM110

DIY Security Alarm 1100 Scan (wall mount)

Do-It-Yourself installation. Wall mount or portable use. PIR detection area 110° within 10 metre range. In-built piezo siren. Secures door or window with magnetic reed switch. 2 remote control key rings arm & disarm alarm. Powered by 3 x AA batteries (not included).

Packaged: Clamshell

Pack Qty 6

APN 9311644009924



AM360

DIY Security Alarm 3600 Scan (ceiling mount)

Self-contained alarm. Ceiling mount. No wiring. Built-in 105dB siren. Large 360° detection area by 25m².

2 remote control key rings arm & disarm.

Powered by 3 x C size batteries (not included).

Packaged: Clamshell

Pack Qty 6

APN 9311644009627



AM932

Garage & Shed Protection Alarm

Magnetic reed switch detects opening of door or window, triggering alarm. DIY installation. Keypad control with programmable security code. Built-in 115dB piezo siren. Protects tools and equipment. Powered by 4 x AA batteries (not included).

Packaged: Clamshell

Pack Qty 6

APN 9311644012023



AM400

Home Security Alarm System

Easy Do-It-Yourself (DIY) installation for home or small business. Keypad control with programmable security code. Contains control panel with in-built piezo siren, 2 movement activated sensors, 2 window/door magnetic reed switches, extension siren and AC adaptor. Packaged: Colour carton

Pack Qty 4

APN 9311644012528



Security

AM500

Wireless Home Security Alarm System

Wireless remote controlled security system kit. DIY installation. Convenient keypad control with programmable security code. Detects movement in and around your home & secures doors and windows. Offers increased security through the use of additional components. Packaged: Colour carton

Pack Qty 4

APN 9311644012535



AM551

Wireless Movement Activated Sensor

Provides increased protection when used in conjunction with the Arlec AM500. Detects motion within an 8 metre radius of the sensor. Covers a wide area of up to 120°. Requires 1 X 9 volt battery (not supplied). Red LED lights when movement is detected. Includes mounting brackets and screws. Packaged: Clamshell

Pack Qty 6

APN 9311644012603



AM552

Wireless Window/Door Alarm Accessory

Provides increased protection when used in conjunction with the Arlec AM500. A red LED lights when movement is detected. The main control panel is also alerted and triggers the alarm. Powered by 1 X 12 volt battery (supplied). Multiple units further help to protect the home. Includes mounting bracket and screws.

Pack Qty 6

APN 9311644012610



AM553

Compact Extension Siren Alarm Accessory

Sounds 110dB piezo siren. Accessory to the Arlec AM500 and AM400 as an outdoor siren. Easy DIY installation. Compatible with the AM932 Garage and Shed Protection Alarm & AM110 DIY Security Alarm. Requires 4 X AA batteries (not supplied) Packaged: Clamshell

Pack Qty 6

APN 9311644012627



AM130

Dummy CCTV Camera

Realistic appearance – Designed to look part of a real video surveillance system. Authentic looking CCTV cable attached. Mountable on ceiling, wall or shelf. Direction and angle fully adjustable. Simple Do-It-Yourself installation, no wiring required. Mounting screws and wall plugs included. Packaged: Clamshell

Pack Qty 6

APN 9311644031451



DA200

Wireless Alarm System

The DA200 is a DIY wireless remote controlled security system. The kit contains: external control panel, siren, movement activated sensor, portable On/Off alarm remote control unit. Sensor detects motion within an 8m radius and has a scan angle of 1200. Additional components/accessories available.

Pack Qty 4

APN 9311644023524



DA318

Security Alarm Door Chime

Wireless remote controlled security system & door chime. DIY installation. Kit contains: control panel with built in siren & selectable door chime tones, movement activated sensor, portable On/Off alarm remote control unit. Sensor detects motion within an 8m radius and has a scan angle of 1200. Additional components/accessories available.

Pack Qty 4

APN 9311644023487



DA302

Wireless PIR Sensor

Provides increased protection when used in conjunction with the Arlec DA318 or the Arlec AM200. Detects motion within an 8 metre radius of the sensor. Covers an area of up to 120°. Requires 1 X 9 volt battery (not supplied). Red LED lights when movement is detected. Mounting brackets and screws included.

Pack Qty 6

APN 9311644023531



DA305

Wireless Window/Door Protector

Arlec DA318 Wireless Security Alarm Door Chime System or the Arlec DA200. Magnetic sensor for door or window protection. A red LED lights when movement is detected. Powered by 1 X 12 volt battery (supplied). Multiple units further help to protect the home. Packaged: Clamshell

Pack Qty 6

APN 9311644023500



DA301

Wireless Security Alarm Remote Control

Provides remote control activation of Arlec DA318 or Arlec DA200. System. 16 digitally encoded operating channel. State of the art circuit for increased battery life. Operating range approximately 25 metres. Powered by 1 x "12 volt alkaline" battery (supplied). Packaged: Clamshell

Pack Qty 6

APN 9311644023791



Security

DA307 Wireless External Siren

High Frequency 120dB siren. Weatherproof design. Flashing super bright LED light. Accessory to the Arlec Wireless Security Alarm Door Chime System (DA318). Easy Do-It-Yourself installation – no wiring required. Requires 2 X "D" batteries (not supplied). Packaged: Clamshell

Pack Qty 6
APN 9311644023494



DA105 Wireless Door Chime Push Button

Provides convenience of additional door chime push button when used in conjunction with the Arlec DA318. Powered by 1 X "12 volt alkaline" battery (supplied). State of the art circuit for increased battery life. Operating range approximately 25 metres. Packaged: Clamshell

Pack Qty 6
APN 9311644023517



LC511 Dusk to Dawn Light Control Socket Intermittent

Plugs between bulb and socket. Turns bulb on and off in random time patterns between dusk and dawn. Fits to any standard bayonet lamp holder. Manual over-ride function. Resets automatically if power fails. Max 100W incandescent bulbs in open lampshades, or 60W for enclosed shades and fittings.

Pack Qty 6
APN 9311644015062



RC3 Remote Control Power Switch Triple Socket

Easy to install - no wiring required. Consists of wire free remote control unit (transmitter) and 3 wire free wall socket units (receivers). Remote control unit allows independent operation of 3 wire free wall socket units. Packaged: Clamshell

Pack Qty 6
APN 9311644047070



AM471 Security Beam Entry Detector.

Buzzer sounds when infra-red beam is broken. Easy DIY installation. Range 2-8 metres. Plug-in power supply included. Ideal for small business, factory, reception or shop. Packaged: Colour carton

Pack Qty 2
APN 931164400563



Plug-in Electrical Timers

PC607 Compact 24 Hour Timer

48 On and 48 Off switchings available every 24 hours. Can set switching times at 15 minute increments. Plugs directly into power point. 240 volt, 10amp rating. Simple operation - clock function not required. Packaged: Clamshell

Pack Qty 6
APN 9311644041290



PC608 24 Hour Timer Twin Pack

48 On and 48 Off switchings available every 24 hours. Can set switching times at 15 minute increments. Plugs directly into power point. 240 volt, 10amp rating. Simple operation - clock function not required. Packaged: Clamshell

Pack Qty 4
APN 9311324042068



PC609 Compact 7 Day Timer

42 On and 42 Off switchings available every 7 days. Plugs directly in power point. 240 volt, 10 amp rating. Simple operation - clock function not required. Automatic override switch bypasses timer settings. Packaged: Clamshell

Pack Qty 6
APN 9311644043911



PC697 Compact Digital Timer

Designed to switch appliances on and off using programmable digital buttons on a LCD display. 20 On / Off programs with 1 minute switching increments. In-built rechargeable battery maintains programs in the event of power failure. Count down function. 240 volt, 10 amp rating. Packaged: Clamshell

Pack Qty 6
APN 9311644041313



PC707 24 Hour Timer

Can set switching times at 15 minute increments. 48 ON and 48 OFF positions available every 24 hours. Plugs directly into power point - rating 240 volt 10 amp. Clock function not required. Automatic over-ride switch bypasses timer settings. Ideal for pool pumps, security lighting, electric blanket, air conditioner, festive & garden lighting.

Pack Qty 6
APN 9311644032182



PC708 24 Hour Timer Twin Pack

48 on and 48 off switchings available every 24 hours. Facility to set switching times at 15 minute increments. Plugs directly into power point - 240 volt 10 amp rating. Automatic override switch bypasses timer settings. Packaged: Clamshell

Pack Qty 6
APN 9311644037804



PC787 Digital Time Switch

13 digitally programmed settings - 24 hours daily, weekday, weekend & 7 day programming options. Minimum time increment 1 minute. Set with digital accuracy and LCD display. 240 volt 10 amp rating, maximum load 2400 watt. Random setting, daylight saving and over-ride functions included. In-built battery maintains program when disconnected. Packaged: Clamshell

Pack Qty 6
APN 9311644008439



PC844 Compact 24 Hour Plug-in Time Switch

Maximum of 24 'on/off' settings per day at 30 minute increments. Minimum setting time 30 minutes. 240 volt 10 amp rating, maximum load 2400 watt. Manual over-ride switch. 8 pins supplied. Packaged: Clamshell

Pack Qty 6
APN 9311644000396



PC888 Digital Clockface Timer

Designed to switch appliances "ON" and "OFF" using programmable digital buttons and a LCD display. User friendly digital clock face display. Up to 432 settings can be programmed into memory. ON/OFF times can be programmed for each separate week day as well as groups of days. Packaged: Clamshell

Pack Qty 6
APN 9311644034476



PC899 24 Hour Quick Set Time Switch

Two function 'on/off' timer at 15 minute increments. Minimum setting 45 minutes. Repeats setting every 24 hours. 240 volt 10 amp rating, maximum load 2400 watt. Manual over-ride switch. Pins captive on dial. Packaged: Clamshell

Pack Qty 6
APN 9311644009771



Plug-in Electrical Timers

TH410

Digital Programmable Thermostat & Timer

Easy DIY installation. Replaces manual thermostat on home central heating or cooling systems. Digital push button controls. Three programmable temperature and timer settings – reduce heating and cooling costs. Room temperature displayed at all times. Takes 2 x AA batteries (not included). Packaged: Clamshell

Pack Qty 6

APN 9311644012597



PC222

Energy Cost Meter

Designed to measure energy use of household electrical appliances. Calculates running cost of household appliances. Helps save energy by identifying appliances with high energy consumption so that their use can be more effectively managed. Compact, simple to operate with easy to read LCD display. Plugs directly into power point - rating 240 volt 10 amp. 2 x 1.5v LR44/AG13 back up batteries (supplied) so data is not lost when meter is moved or there is a power failure. Packaged: Blister

Pack Qty 6

APN 9311644053248



Torches & Batteries

BA-2C Alkaline C Size Batteries

Rating 1.5V. Recommended applications: Clocks, electronic toys and games, torches, remote controls, portable CD players, cameras, smoke detectors and other high power items of frequent use.

Non-rechargeable.

Packaged: Blister pack, 2 per card.

Pack Qty 10

APN 9311644037101



BA-2D Alkaline D Size Batteries

Rating 1.5V. Recommended applications: Clocks, electronic toys and games, torches, remote controls, portable CD players, cameras, smoke detectors and other high power items of frequent use.

Non-rechargeable.

Packaged: Blister pack, 2 per card.

Pack Qty 10

APN 9311644037118



BA-4AA Alkaline AA Size Batteries

Rating 1.5V. Recommended applications: Clocks, electronic toys and games, torches, remote controls, portable CD players, cameras, smoke detectors and other high power items of frequent use.

Non-rechargeable.

Packaged: Blister pack, 4 per card.

Pack Qty 12

APN 9311644037088



BA-30AA 30AA Pack Alkaline Batteries

Rating 1.5V. Recommended applications: Clocks, electronic toys and games, torches, remote controls, portable CD players, cameras, smoke detectors and other high power items of frequent use.

Non-rechargeable.

Packaged: re-sealable clamshell blister - 30 per pack.

Pack Qty 10

APN 9311644048923



BA-60AA 60AA Pack Alkaline Batteries

Rating 1.5V. Recommended applications: Clocks, electronic toys and games, torches, remote controls, portable CD players, cameras, smoke detectors and other high power items of frequent use.

Non-rechargeable.

Packaged: re-sealable clamshell blister - 60 per pack.

Pack Qty 4

APN 9311644052067



BA-4AAA Alkaline AAA Size Batteries

Rating 1.5V. Recommended applications: Clocks, electronic toys and games, torches, remote controls, portable CD players, cameras, smoke detectors and other high power items of frequent use.

Non-rechargeable.

Packaged: Blister pack, 4 per card.

Pack Qty 12

APN 9311644037095



BA-6V Arlec Alkaline 6 volt Battery

Rating 6V. For high power items of frequent use.

Non-rechargeable.

Packaged: Shrink wrapped

Pack Qty 6

APN 9311644041337



BA-9V Alkaline 9 Volt Size Batteries

Rating 9V. Recommended applications: Clocks, electronic toys and games, torches, remote controls, portable CD players, cameras, smoke detectors and other high power items of frequent use.

Non-rechargeable.

Packaged: Blister pack, 1 per card.

Pack Qty 12

APN 9311644037125



BAT6V Lantern Battery 6 volt

Non-rechargeable super heavy duty 6 volt battery.

High performance. Non-rechargeable.

Packaged: Shrink wrapped

Pack Qty 6

APN 9311644006114



BE-2C Extra Heavy Duty C Size Batteries

Rating 1.5V. Recommended applications: Toys, remote controls, cassette players, office equipment, smoke detectors and other items of frequent use.

Non-rechargeable.

Packaged: Blister pack, 2 per card.

Pack Qty 10

APN 9311644037057



Torches & Batteries

BE-2D Extra Heavy Duty D Size Batteries

Rating 1.5V. Recommended applications: Toys, remote controls, cassette players, office equipment, smoke detectors and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644037064



BE-4AA Extra Heavy Duty AA Size Batteries

Rating 1.5V. Recommended applications: Toys, remote controls, cassette players, office equipment, smoke detectors and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 4 per card.

Pack Qty 12
APN 9311644037033



BE-10AA Extra Heavy Duty AAA Size Batteries

Rating 1.5V. Recommended applications: Toys, remote controls, cassette players, office equipment, smoke detectors and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 20 per card.

Pack Qty 20
APN 9311644040453



BE-4AAA Extra Heavy Duty AAA Size Batteries

Rating 1.5V. Recommended applications: Toys, remote controls, cassette players, office equipment, smoke detectors and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 4 per card.

Pack Qty 12
APN 9311644037040



BE-9V Extra Heavy Duty 9 Volt Size Battery

Rating 9V. Recommended applications: Toys, remote controls, cassette players, office equipment, smoke detectors and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 1 per card.

Pack Qty 12
APN 9311644037071



BH-2C Heavy Duty C Size Batteries

Rating 1.5V. Recommended applications: Clocks, torches, transistor radios and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644037002



BH-2D Heavy Duty D Size Batteries

Rating 1.5V. Recommended applications: Clocks, torches, transistor radios and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644037019



BH-4AA Heavy Duty AA Size Batteries (4 per card)

Rating 1.5V. Recommended applications: Clocks, torches, transistor radios and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 4 per card.

Pack Qty 12
APN 9311644036982



BH-10AA Heavy Duty AA Size Batteries (10 per card)

Rating 1.5V. Recommended applications: Clocks, torches, transistor radios and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 10 per card.

Pack Qty 20
APN 9311644040446



BH-4AAA Heavy Duty AAA Size Batteries

Rating 1.5V. Recommended applications: Clocks, torches, transistor radios and other items of frequent use. Non-rechargeable.
Packaged: Blister pack, 4 per card.

Pack Qty 12
APN 9311644036999



Torches & Batteries

BH-9V Heavy Duty 9 Volt Size Battery

Rating 9V. Recommended applications: Clocks, torches, transistor radios and other items of frequent use.
Non-rechargeable.
Packaged: Blister pack, 1 per card.

Pack Qty 12
APN 9311644037026



BL-2AA 1.5V Lithium AA Batteries

2 X AA size Lithium batteries. The longest life battery in higher powered devices. 7 times longer usage than Alkaline in digital cameras. AA and AAA - 600 shots in digital cameras.
Packaged: Blister pack, 2 per card.

Pack Qty 12
APN 9311644050759



BL-4AA 1.5V Lithium AA Batteries

4 X AA size Lithium batteries. The longest life battery in higher powered devices. 7 times longer usage than Alkaline in digital cameras. AA and AAA - 600 shots in digital cameras.
Packaged: Blister pack, 4 per card.

Pack Qty 12
APN 9311644050766



BL-2AAA 1.5V Lithium AAA Batteries

2 X AAA size Lithium batteries. The longest life battery in higher powered devices. 7 times longer usage than Alkaline in digital cameras. AA and AAA - 600 shots in digital cameras.
Packaged: Blister pack, 2 per card.

Pack Qty 12
APN 9311644050773



BL-4AAA 1.5V Lithium AAA Batteries

4 X AAA size Lithium batteries. The longest life battery in higher powered devices. 7 times longer usage than Alkaline in digital cameras. AA and AAA - 600 shots in digital cameras.
Packaged: Blister pack, 4 per card.

Pack Qty 12
APN 9311644050780



BL-9V Lithium 9V Batteries

Lithium batteries. The longest life battery in higher powered devices. 9V - More than 5 years service life in ionization type smoke detectors.
Packaged: Blister pack, 1 per card.

Pack Qty 12
APN 9311644050797



BSP-AA Rechargeable AA Size Batteries

Ni-Cd 1.2V rechargeable batteries. Suitable for toys, radios, remote control models, torches, lanterns and many other applications.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644000020



BSP-4AA Rechargeable AA Size Batteries

Rechargeable batteries. Suitable for toys, radios, remote control models, torches, lanterns and many other applications.
Packaged: Blister pack, 4 per card.

Pack Qty 10
APN 9311644000075



BSP-AAA Rechargeable AAA Size Batteries

Ni-Cd 1.2V rechargeable batteries. Suitable for toys, radios, remote control models, torches, lanterns and many other applications.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644000013



BSP-9V Rechargeable 9 Volt Size Battery

Ni-Cd 1.2V rechargeable battery. Suitable for toys, radios, remote control models, torches, lanterns and many other applications.
Packaged: Blister pack, 1 per card.

Pack Qty 10
APN 9311644000051



Torches & Batteries

BSP-C

Rechargeable C Size Batteries

Ni-Cd 1.2V rechargeable batteries. Suitable for toys, radios, remote control models, torches, lanterns and many other applications.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644000037



BSP-D

Rechargeable D Size Batteries

Ni-Cd 1.2V rechargeable batteries. Suitable for toys, radios, remote control models, torches, lanterns and many other applications.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644000044



NMHAA

Rechargeable AA Size Batteries

Nickel Metal Hydride rechargeable batteries. Suitable for toys, radios, games, digital cameras, remote control models, torches and many other applications.
Rechargeable up to 1000 times. 1600 mAh.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644032267



NMH4AA

Rechargeable AA Size Batteries

Nickel Metal Hydride rechargeable batteries. Suitable for toys, radios, games, digital cameras, remote control models, torches and many other applications.
Rechargeable up to 1000 times. 1600 mAh.
Packaged: Blister pack, 4 per card.

Pack Qty 10
APN 9311644032250



NMHAAA

Rechargeable AAA Size Batteries

Nickel Metal Hydride rechargeable batteries. Suitable for toys, radios, games, digital cameras, remote control models, torches and many other applications.
Rechargeable up to 1000 times. 650 mAh.
Packaged: Blister pack, 2 per card.

Pack Qty 10
APN 9311644032274



NMH9V

Rechargeable 9 Volt Size Battery

Nickel Metal Hydride rechargeable batteries. Suitable for toys, radios, games, digital cameras, remote control models, smoke detectors, torches and many other applications.
Rechargeable up to 1000 times. 160 mAh.
Packaged: Blister pack, 1 per card.

Pack Qty 10
APN 9311644032281



CAA204

Compact AA Battery Charger with 2 x AA Batteries

Recharges 2 or 4 AA Nickel Cadmium batteries. 'Quick' and 'Normal' charging switch. Integral plug connects to 240 volt power point. Fold away pins to compact pocket size unit. 2 x AA Ni-Cd batteries included.
Packaged: Blister pack

Pack Qty 6
APN 9311644000785



PS429

Multicharger Battery Charger

Recharges 9 volt, AA, AAA, C, D size Nickel Cadmium batteries. Recharges up to six Ni-Cd batteries at a time. Automatically adjusts charging rates to Ni-Cd battery type. Operates from 240 volt power point.
Packaged: Colour carton

Pack Qty 6
APN 9311644008545



PS430

NiMH/NiCd AA, AAA & 9 Volt Charger

Battery charger for NiMH or NiCd rechargeable batteries. Charges up to 4 AA and AAA size or 2.9V batteries. 2 x Arlec AA NiMH Rechargeable Batteries included. Auto timer cut off. Charge rates: NiMH - 7 hours, NiCd - 5 hours. Simply plugs into a regular household power point (240 volt).
Packaged: Blister pack.

Pack Qty 6
APN 9311644032687



FT4

Fluorescent Tube 4 Watt

Replacement (6 inch) tube for 4-watt applications. Suitable for LF2 and RDL2
Packaged: Blister pack, 1 tube per card.

Pack Qty 12
APN 9311644010067



Torches & Batteries

FT7 7W 6400k Fluorescent Tube

Brilliant 7W 6400K light Replacement. Fluorescent tube for 7W application. Recommended for Arlec CL106, HDCL4 and CL102. 12 months guarantee. Packaged: Blister pack



Pack Qty 6
APN 9311644051510

KG728 Krypton Globe 2.8 Volt

Powerful 2.8 volt 0.85 amp Krypton globe. Suitable for RT800. Packaged: Blister pack, 2 globes per card.



Pack Qty 12
APN 9311644007517

KG748 Krypton Globe 4.8 Volt

Powerful 4.8 volt 0.75 amp Krypton globe. Suitable for WM704, CTL108, DL1, TT1, TT4, TT13 and WPL108. Packaged: Blister pack, 2 globes per card.



Pack Qty 12
APN 9311644007531

AT5032 Family Value Pack

2x3 LED Torches Combination value pack with 1 x 3AA sized and 1 x 3AAA 3 LED Torches. 3 Super bright white LED provide 1000's of hours of usage without the need to change bulbs. Ergonomic on/off switch. Burn time much longer than conventional torch. Lanyard (included) All Batteries included. Packaged: Clamshell



Pack Qty 5
APN 9311644051572

BT2AA 2AA Torch with 2 batteries

Weather, shock and corrosion resistant. Available in three colours; blue, red and yellow. Supplied with 2 x AA Arlec batteries. Krypton globe for extra brightness Packaged: 1/2 shell type blister pack



Pack Qty 6
APN 9311644021827

KG724 Krypton Globe 2.4 Volt

Powerful 2.4 volt 0.7 amp Krypton globe. Suitable for CT2AA, CT2D, KT2AA, KT2C, KT2D, WM702, RT900 and RT007. Packaged: Blister pack, 2 globes per card.



Pack Qty 12
APN 9311644007500

KG736 Krypton Globe 3.6 Volt

Powerful 3.6 volt 0.75 amp Krypton globe. Suitable for KT3D and WM703. Packaged: Blister pack, 2 globes per card.



Pack Qty 12
APN 9311644007524

MRG003 Globe For My Lite

Powerful 2.5 volt 0.3 amp sub miniature glass bi pin globe. Replacement globe for MYL001 & PT20. Packaged: Blister pack, 2 globes per card.



Pack Qty 50
APN 9311644005179

AT5033 Family Value Pack 3 x LED Torches

Combination value pack with 1 x 3 D, 1 x 2D and 1 x 2AA sized 3 LED Torches. 3 Super bright white LED provide 1000's of hours of usage without the need to change bulbs. Ergonomic on/off switch. Burn time much longer than conventional torch. All batteries included. Packaged: Clamshell



Pack Qty 4
APN 9311644051565

BT2D 2D Torch with 2 Batteries

Weather, shock and corrosion resistant. Available in three colours; blue, red and yellow. Supplied with 2 x D Arlec batteries. Krypton globe for extra brightness Packaged: 1/2 shell type blister pack



Pack Qty 6
APN 9311644021810

Torches & Batteries

CL100 20 LED Camping Lantern

Long lasting 20 LED lights providing bright light, Weather Resistant. Packed in hang cell blister pack. Ideal for camping, fishing, boating and general outdoor use. Strong, durable and portable. Tough ABS construction. 12 Month guarantee. Uses 4 x D batteries (not included). Packaged: Clamshell

Pack Qty 4
APN 9311644049203



CL106 Durable Fluorescent Lantern

Long lasting 7 Watt Fluorescent tube providing bright light. Weather Resistant Packed in hang cell blister pack. Ideal for camping, fishing, boating and general outdoor use. Strong, durable and portable. Tough ABS construction. 12 Month guarantee. Uses 4 x D batteries (not included) Packaged: Clamshell

Pack Qty 4
APN 9311644049227



RDL2 Rechargeable Fluorescent Camping Lantern

Rechargeable through a regular household power point (240 Volt) or a car cigarette lighter socket (12V). Fitted with 6 Volt 4 Amp Hour sealed lead acid battery. 2 x 4 Watt tubes and 1 3V/0.06A LED. "On"/ "off" switch with 3 functions; Single Tube, Double Tube, LED Night Light. Packaged: Colour carton

Pack Qty 2
APN 9311644031338



CTFP C-Thru Torch Family Pack

Set of three Krypton Bulb see through torches, one 2xAA size, one 2xD size, one 6volt lantern size. Each supplied with batteries. Packaged: Blister pack

Pack Qty 3
APN 9311644039792



WPVP White Pointer Value Pack

Arlec White Pointer 6V Lantern, 2D Torch and 2AA Torch. Supplied with 1 x 6V, 2 x D and 2 x AA Arlec Branded Heavy Duty Batteries. Weather, shock and corrosion resistant torches. Available in three bright colours - blue, red and yellow. Packaged: Blister pack

Pack Qty 6
APN 9311644040576



RT007 Rechargeable Smart Light

In-built charger and adaptor housed in rear. Plugs into 240 volt power point. Brilliant Krypton globe. Spare globe supplied. Assorted colours. Packaged: Clamshell

Pack Qty 6
APN 9311644000655



RT500 Rechargeable Torch and Spotlight

Powerful quartz halogen bulb provides clean white light. Weatherproof construction. Rechargeable with AC/DC charger or car cigarette lighter adaptor (both included). Swivel handle converts to pistol grip. Adjustable stand that can be used as a carry handle. Fitted with 6 volt 4 amp hour sealed lead acid battery.

Pack Qty 3
APN 9311644015079



RT800 Rechargeable Super Torch

Dual charge option - 240 volt mains or 12 volt car cigarette lighter. Reflector head pivots 90° for hands free use. Features 'Dim' or fully 'On' switch. Krypton globe. Storage bracket supplied. Packaged: Colour carton

Pack Qty 4
APN 9311644000105



RT900 Rechargeable Swivel Head Torch

Dual charge option - 240 volt mains or 12 volt car cigarette lighter. Unique swivel head, for hands free use. Built in night light. Spare Krypton globe and storage bracket included. Packaged: Clamshell

Pack Qty 4
APN 9311644009900



RSL1000 Rechargeable Spotlight with Cold Cathode Tube

Rechargeable through a regular household power point (240 Volt) or a car cigarette lighter socket (12V). Fitted with 6 volt 4 amp Hour sealed lead acid battery. Powerful 1,000,000 candle power quartz halogen bulb provides clean white light. Cold Cathode Tube. Packaged: Colour carton

Pack Qty 3
APN 9311644041887



Torches & Batteries

RT2000

Rechargeable Double Vision Search Light

Rechargeable through a regular household power point (240 Volt) or a car cigarette lighter socket (12V). Super Powerful 2,000,000 candle power quartz halogen bulb. Combined swivel spotlight and search light. Swivel handle converts to pistol grip. Packaged: Colour carton

Pack Qty 6

APN 9311644030683



RT3500

Rechargeable Super Bright Lantern

Rechargeable through a regular household power point (240 Volt) or a car cigarette lighter socket (12V). Super Powerful 3,500,000 candle power quartz halogen bulb provides clean white light. Includes adjustable stands, hook and nylon carry belt. Packaged: Colour carton

Pack Qty 4

APN 9311644030676



RT10000

10,000,000 Candle Power Rechargeable Lantern

Rechargeable through a regular household power point (240 Volt) or a car cigarette lighter socket (12V). Super Powerful 10,000,000 candle power quartz halogen bulb provides clean white light. Includes adjustable stands and nylon carry belt. Packaged: Colour carton

Pack Qty 3

APN 9311644021827



TT1

Tuff Torch 6 volt

Powered by 6 volt heavy-duty battery (not included). Floating and water resistant. Shock resistant rubber body for rugged use. Large reflector head and Krypton globe projects long distance beam. Adjustable 8 position stand. Ideal for tradesmen, boating or home use. Packaged: Wrap around card

Pack Qty 6

APN 9311644006268



WPL108

White Pointer Lantern (6 volt)

Takes 6 volt heavy duty battery (not included). Floating & water resistant casing. Large reflector head with focused beam. Rubberised push button switch. Assorted colours - red, blue and yellow. Packaged: Wrap around card

Pack Qty 6

APN 9311644000631



WPL320

White Pointer Value Pack with 2 x 6 volt Batteries

Fitted with powerful 4.8V 0.75A Krypton globe 70% brighter. Packaged with 2 X 6 Volt Batteries. Hands free operation with Multi-position stand. Advanced reflector design. Durable stand for any purpose. Long run time. Carry Belt holder. Packaging: Shrink wrap

Pack Qty 6

APN 9311644047612



CTL110

C-Thru Lantern with 2 x 6 volt Batteries

Transparent fluoro colour pocket torch. Powered by 1 x heavy duty 6V lantern battery. (2 x HDBAT6V included). Weather, shock and corrosion resistant. Krypton globe. Stylish design in assorted colours - blue, purple and yellow. Packaged: Shrink wrap

Pack Qty 6

APN 9311644013686



MYL001

My Lite Torch with 2 x AA Batteries

Strong machined aircraft aluminium casing. 2 x AA batteries included. Adjustable beam. Shock proof and weather resistant. Rear switch mechanism. Spare globe in tail cap. Packaged: Clamshell

Pack Qty 12

APN 9311644000662



PT10

Pen Light Torch with 2 x AAA Batteries

Handy pocket torch. 2 x AAA batteries included. Strong aluminium construction. Shock proof and water resistant. Switch mechanism with pocket clip. Packaged: Clamshell

Pack Qty 12

APN 9311644010654



PT20

Pocket Torch with 2 x AAA Batteries

Handy pocket torch. 2 x AAA batteries included. Strong aluminium construction. Adjustable beam. Shock proof and water resistant. Switch mechanism with pocket clip. Packaged: Clamshell

Pack Qty 12

APN 9311644000914



Torches & Batteries

WM302

Watchman Torch 2D: 30 LED with 2 x D Batteries

30 super bright and long lasting LEDs Tough heavy duty aluminium construction for all conditions, shock proof and weather resistant. Takes 2 x D size Extra Heavy Duty batteries (included) Ideal for professional security use and tradesmen. 12 month guarantee.

Packaged: Clamshell

Pack Qty 4

APN 9311644053095



WM303

Watchman Torch 3D: 30 LED with 3 x D Batteries

30 super bright and long lasting LEDs Tough heavy duty aluminium construction for all conditions, shock proof and weather resistant. Takes 3 x D size Extra Heavy Duty batteries (included). Ideal for professional security use and tradesmen. 12 month guarantee.

Packaged: Clamshell

Pack Qty 4

APN 9311644053101



WM703

Watchman Torch with 3 x D Batteries

Tough heavy duty aluminium construction for all conditions. Takes 3 x D size batteries (included). Shock proof and weather resistant. Fully adjustable from spotlight beam to floodlight. Push button switch with rubberised cover. Non-slip grip. Ideal for professional security use and tradesmen. Packaged: Clamshell

Pack Qty 4

APN 9311644007180



Door Chimes

DC145 Wireless Door Chime

Easy to install - no wiring required. 2 selectable chime tones. Operating range approximately 30 metres. Learning code ability to prevent interference with other wireless products. Chime uses 2 x AA batteries (not included). Push button uses 1 x 3V Lithium battery (included). Packaged: Blister

Pack Qty 6
APN 9311644053200



DC146 Wireless Door Chime

Easy to install - no wiring required. 2 chime tone options. Operating range approximately 30 metres. Learning code ability to prevent interference with other wireless products. Chime uses 2 x AA batteries (not included) push button uses 1 x 3v lithium battery (Included). Packaged: Blister

Pack Qty 6
APN 9311644040477



DC160 Remote Control Door Chime

Easy to install - no wiring required. 2 chime tone options. Portable door chime unit. Operating range approximately 20 metres. Learning code ability to prevent interference with other wireless products. Chime uses 2 x AA batteries (not included) push button uses 1 x 12v alkaline battery (Included). Packaged: Blister

Pack Qty 6
APN 9311644031444



DC180 Compact Wireless Door Chime

Easy to install - no wiring required. 2 selectable chime tones - Westminster and Ding Dong. Operating range approximately 50 metres. Hi-Low volume control. Chime uses two 'AA' size batteries (not included) and push button uses 1 x 3V (CR2032) long life Lithium battery (included). Packaged: Clamshell

Pack Qty 6
APN 9311644034483



DC181 Vibrating Wireless Door Chimes

Easy to install - no wiring required. 2 selectable chime tones. Portable chime unit vibrates. 16 operating channels. Chime uses 2 x AA batteries (not included). Push button uses 1 x 3V lithium battery (included) Packaged: Clamshell

Pack Qty 6
APN 9311644035312



DC182 Wireless Door Chime Push Button

Easy to install - no wiring required. Suitable for use with DC180 / DC181 Wireless Door Chime Units and DC183 Wireless Door Chime Receiver. 2 selectable chime tones - Westminster and Ding Dong. Operating range approx. 50 metres. Learning code ability to prevent interference with other wireless products. Uses 1 x 3V (CR2032) long life Lithium battery (included).

Pack Qty 6
APN 9311644035329



DC183 Wireless Door Chime Receiver

Easy to install - no wiring required. Suitable for use with DC180 / DC181 Wireless Door Chime units and DC182 Wireless Door Chime Push Button. Operating range approx. 50 metres. Hi-Low volume control. Learning code ability to prevent interference with other wireless products. Chime uses two 'AA' size batteries (not included). Packaged: Clamshell

Pack Qty 6
APN 9311644035336



DC162 Compact Wireless Door Chime

Easy to install - no wiring required, 8 selectable chime tones. Compact size. Operating range approximately 50 metres. 29mm speaker for high output chime sound. Learning code ability to prevent interference with other wireless products. Chime uses 2 x AA batteries (not included). Push button uses 1 x 3V Lithium battery (included). Packaged: Blister

Pack Qty 6
APN 9311644052005



DC480 Remote Control Door Chime

Easy installation, no wiring required. 12 volt alkaline battery for push button supplied. Learning code ability to prevent interference with other wireless products. Portable door chime is powered by 2 x C batteries (not included). Operating range 25 metres. Packaged: Clamshell

Pack Qty 6
APN 9311644009573



DC679 Remote Control Door Chime

Easy installation, no wiring required. 8 melody options. Learning code ability to prevent interference with other wireless products. Push button uses 1 x 3v lithium battery (included). Portable door chime is powered by 2 x C batteries (not included). Advanced electronics for increased battery life. Operating range 25 metres. Packaged: Clamshell

Pack Qty 6
APN 9311644008507



Door Chimes

DC322 Portable Remote Control Door Chime

Easy to install - no wiring required. 2 selectable chime tones - Westminster and Ding Dong. Operating range approximately 100 metres. Hi-Low volume control. Learning code ability to prevent interference with other wireless products. Chime uses two 'C' size batteries (not included) and push button uses 1 x 12V alkaline battery (included). Packaged: Clamshell

Pack Qty 6
APN 9311644031741



DC371 Wireless Door Chime With Metallic Finish

Easy to install-no wiring required. 8 selectable chime tones including Westminster and Ding Dong. Modern design-stylish metal look finish. Operating range approximately 100 metres. Learning code ability to prevent interference with other wireless products. Chime uses 2xAA size batteries (not included) and push button uses 1x3V CR2302 long life Lithium battery (included). Packaged: Clamshell

Pack Qty 6
APN 9311644051183



DC372 Wireless Door Chime With Flashing Led Lights

Easy to install-no wiring required. 8 selectable chime tones including Westminster and Ding Dong. Modern design-stylish metal look finish. Sequential flashing red LED lights when chime activated. Operating range approximately 100 metres. Learning code ability to prevent interference with other wireless products. Packaged: Clamshell

Pack Qty 6
APN 9311644051190



DC326 Wireless Door Chime with Recording Function

Easy to install - no wiring required. 2 selectable (preset) chime tones - Westminster and Ding Dong. Unique recording feature. Record your own sound / music. (Record any sound for 10 seconds as many times as you want). Operating range approximately 100 metres. Learning code ability to prevent interference with other wireless products. Packaged: Clamshell

Pack Qty 6
APN 9311644031734



DC902 Wireless Door Chime with LCD Clock

Easy to install - no wiring required. Consists of door push button (transmitter) and portable door chime (receiver) / LCD clock. Operating range approximately 100 metres. Learning code ability to prevent interference with other wireless products. Chime/LCD clock uses 3 x 'AA' size batteries (not included) and push button uses 1 x 3V CR2302 long life lithium battery (included). Packaged: Blister

Pack Qty 6
APN 9311644048948



DC901 Photo Chime Wireless Door Chime

Easy to install - no wiring required. Transmitter and portable receiver with Photo frame. LCD clock. 8 chime tone options. LCD clock with hour, minute and second hand display. Acrylic faced photo frame with fold out stand. Learning code ability to prevent interference with other wireless products. Packaged: Blister

Pack Qty 6
APN 9311644047032



DC900 Time Chime

Easy to install - no wiring required. Consists of transmitter and portable receiver/time station. 8 selectable chime tones. Time station with digital clock. 12/24 hour time display. Day, month and date display. Indoor thermometer with temperature display. Learning code ability to prevent interference with other wireless products. Packaged: Blister

Pack Qty 4
APN 9311644008491



DC335 Long Range Wireless Door Chime

Easy to install - no wiring required. 2 selectable chime tones - Westminster and Ding Dong. Operating range approximately 200 metres. Learning code ability to prevent interference with other wireless products. Ultra bright LED flashing light. Hi - Low volume control. Chime uses two 'D' size batteries (not included) and push button uses 1 x 12V alkaline battery (included). Packaged: Clamshell

Pack Qty 6
APN 9311644031727



DC680 240 volt Plug-In Remote Control Door Chime

240 volt plug-in door chime. No batteries or wiring required for chime. Two chime options - Ding Ding or Ding Dong. Learning code ability to prevent interference with other wireless products. Push button uses 1 x 3V lithium battery (included). Operating range 25 metres. Packaged: Clamshell

Pack Qty 6
APN 9311644008491



DC682 Plug-in Remote Control Door Chime with Built-In Power Socket

240 volt plug-in door chime. In-built power socket allows dual use of power point. No batteries or wiring required for chime. Learning code ability to prevent interference with other wireless products. Two chime options - Ding Ding or Ding Dong. Push button uses 1 x 3V lithium battery (included). Operating range 25 metres. Packaged: Clamshell

Pack Qty 6
APN 9311644009603



Door Chimes

DC683 Plug-in Wireless Door Chime

Easy to install - no wiring required. Consists of transmitter and receiver both white. Plug chime unit into any standard power point - no batteries required. 2 selectable chime tones. Operating range approximately 50 metres. Learning code ability to prevent interference with other wireless products. Transmitter uses 1 x 3v lithium battery (Included). Packaged: Blister

Pack Qty 4
APN 9311644040590



DC684 Plug-in Wireless Door Chime

Easy to install - no wiring required. Consists of transmitter and receiver both white. Plug chime unit into any standard power point - no batteries required. 2 selectable chime tones. Operating range approximately 50 metres. Learning code ability to prevent interference with other wireless products. Transmitter uses 1 x 3v lithium battery (Included). Packaged: Blister

Pack Qty 6
APN 9311644040378



DC650 Plug-in Wireless Door Chime with Socket

Easy to install - no wiring required. Built in power socket allows continuous use of power point. 2 selectable chime tones. Learning code ability to prevent interference with other wireless products. Push button uses 1 x 3V (CR2032) long life Lithium battery (included). Packaged: Blister

Pack Qty 6
APN 9311644041986



62999 Bell & Chime Transformer

Hard-wires door bell to 240 volt mains. Rating 8 and 12 volt AC with 1 amp output. Safe design with short circuit protection. Packaged: Colour carton

Pack Qty 6
APN 931164400204



Battery Chargers

BC4100

Arlec Smart Charger 12 volt 10 amp

12V charger with 2/5/10A current selection. Simple 3 step operation, compact, light weight design and energy efficient. Able to charge all type of lead acid battery: Gel, Normal (Sealed/Maintenance free and unsealed), Deep Cycle and Calcium. Short circuit protection, reverse polarity protection, spark free, temperature and voltage compensated charging and audible fault alarm. Suitable for batteries: 7AH to 225 AH / RC rating 17mins to 540mins.

Pack Qty 1
APN 9311644051794



BC906

Automatic Compact 4000 Battery Charger 12 volt 4 amp

Output 12 volt 4 amp continuous. Boost/automatic charge switch. Automatically prevents overcharge. Suitable for charging typically small to medium automotive and sealed lead-acid batteries (approx. 10 to 60 amp hour). Initial or overnight charge on boost position, 15 hours max. 24 month warranty.

Pack Qty 2
APN 9311644000884



BC46

Heavy Duty Auto Cut Off 5000 Battery Charger 12/24 volt 7 amp

Output 12 volt 7A continuous. 24 volt 7 amp continuous. Automatic voltage limiting circuitry. Cuts Off automatically when fully charged. Suitable for charging typically small to medium 12 volt and small 24 volt automotive and sealed lead-acid batteries (approx. 30 to 140 amp) hour for 12 & 24 volt). 24 month warranty.

Pack Qty 1
APN 9311644023845



BC48

Heavy Duty Auto Cut Off 10000 Battery Charger 12/24 volt 10 amp

Output 12 volt 7A continuous. 24 volt 10 amp continuous. Automatic voltage limiting circuitry. Cuts off automatically when fully charged. Suitable for charging typically small to medium 12 volt and small 24 volt automotive and sealed lead-acid batteries (approx. 40 to 160 amp hour for 12 and 24 volt). 24 month warranty.

Pack Qty 1
APN 9311644023852



BC62

Heavy Duty 12 Volt Automatic 10000 Deep Cycle & Engine Start Charger

Output 12 volt 9 amp continuous & 2.5 amp continuous. Fully automatic voltage limiting circuitry. BOOST/START facility to rapid start 32amp for 10 sec. cycle. Suitable for charging typically small to medium 12volt auto, DEEP CYCLE and sealed lead-acid batteries (approx. 10 to 150 amp hour for 12volt). 24 month warranty.

Pack Qty 1
APN 9311644027263



BC64

Heavy Duty 24 volt Automatic 10000 Deep Cycle & Engine Start Charger

Output 24 volt 9 amp continuous and 2.5 amp. Automatic voltage limiting circuitry. BOOST/START facility to rapid start 32 amp for 10 sec. cycle. Suitable for charging typically small to medium 24 volt automotive, DEEP CYCLE and sealed lead-acid batteries (approx. 10 to 150 amp hour for 24 volt). 24 month warranty.

Pack Qty 1
APN 9311644027966



BC269

Chargette 1000 Motorcycle Battery Charger 6/12 volt 1 amp

Plugs directly into 240 volt mains. Output 6 and 12 volt 1 amp. Overload, short circuit, reverse polarity protection. Will charge motorcycle and other small lead-acid batteries (approx. 4 to 20 amp hour) overnight. 12 month warranty.

Pack Qty 4
APN 9311644001003



BC581

Compact 2500 Battery Charger 12 volt 2.5 amp

Output 12 volt 2.5amp continuous. Simple 3 LED charge status indication. Suitable for charging typically small automotive lead-acid batteries (approx 10 to 60 amp hour) overnight. 24 month warranty.

Pack Qty 6
APN 9311644000983



BC228

Compact 2500 Battery Charger 6/12 volt 2.5 amp

Output 6 or 12 volt Hi/Lo charge switch 2.5amp continuous (Hi), 1 amp continuous (Lo). Suitable for charging typically small automotive lead-acid batteries (approx. 10 to 60 amp hour) and is also suitable for overnight charge of small batteries (approx. 4 to 20 amp hour). 24 month warranty.

Pack Qty 2
APN 9311644000976



BC588

Compact 4500 Battery Charger 12 volt 4.5 amp

Output 12 volt 4.5 amp continuous (Boost), 3.5 amp continuous (Normal). Boost/Normal charge switch 3 LED charge indicators. Suitable for charging typically small to medium automotive lead-acid batteries. 24 month warranty.

Pack Qty 2
APN 9311644000990



Battery Chargers

BC10 Compact 6000 Battery Charger 12 Volt 6 Amp

Output 12 volt, 6 amp continuous. Charge indication ammeter. Overload, short circuit and reverse polarity protected. Suitable for charging typically small to medium automotive lead-acid batteries overnight (approx. 25 to 80 amp hour). 24 month warranty.

Pack Qty 2
APN 9311644000686



BC52 Heavy Duty 5000 Battery Charger 6/12 Volt 6 Amp

Output 12 volt 6 amp continuous (Hi), 3.5 amp continuous (Lo). Output 6 volt 5 amp continuous (Hi), 2.5 amp continuous (Lo). Hi/Lo charge switch. Charge indication ammeter. Suitable for charging typically small to medium automotive lead-acid batteries (approx. 15 to 120 amp hour). 24 month warranty.

Pack Qty 1
APN 9311644023869



BC54 Heavy Duty 10000 Battery Charger 6/12 Volt 10 Amp

Output 6/12 volt 10amp continuous (Hi), 5 amp continuous (Lo). Hi/Lo charge switch. Charge indication ammeter. Suitable for charging typically small to medium automotive lead-acid batteries overnight (approx. 30 to 160 amp hour). Packaged in plain carton with single label. 24 month warranty.

Pack Qty 1
APN 9311644023876



BC56 Heavy Duty 15000 Battery Charger 6/12 Volt 15 Amp

Output 6Volt 15 amp continuous (Hi), 9 amp continuous (Lo); Output 12Volt 13 amp continuous (Hi), 7 amp continuous (Lo); Hi/Lo charge switch. Charge indication ammeter. Suitable for charging typically medium auto lead-acid batteries overnight (approx. 30 to 300 amp hour). 24 month warranty.

Pack Qty 1
APN 9311644023883



BC58 Heavy Duty 15000 Battery Charger 12/24 Volt 15 Amp

Output 12Volt 13 amp continuous (Hi), 7 amp continuous (Lo); Output 24Volt 15 amp continuous (Hi), 8 amp continuous (Lo); Hi/Lo charge switch. Charge indication ammeter. Suitable for charging typically medium auto lead-acid batteries overnight (approx. 30 to 300 amp hour). 24 month warranty.

Pack Qty 1
APN 9311644023890



BC60 Heavy Duty 5000 Battery Charger 6/12/24 Volt

Output 24 volt 5amp continuous & 2.5 amp continuous (Lo). 12 volt 6 amp continuous & 4 amp continuous. 6 volt 6 amp continuous & 4 amp continuous. Suitable for charging typically small to medium automotive lead-acid batteries (approx. 15 to 120 amp hour). 24 month warranty.

Pack Qty 1
APN 9311644023906



BT831 Battery Tester

Tests 12 Volt batteries under realistic load conditions. Compact, durable steel case with plastic cushion surrounds. Swing over handle for convenient viewing angle & carrying. Large accurate easy to read meter. Supplied with battery leads with clips. 24 month warranty.

Pack Qty 1
APN 9311644008286













BT964 Battery Check 12 Volt

Indicates charge condition & checks charging circuit for all 12 volt batteries including sealed & maintenance free types. Compact size for easy use & storage. Indicator lamps. Supplied with battery leads with clips. 24 month warranty.

Pack Qty 6
APN 9311644000921



Cooling

<p>CSF90 90mm Garage and Home Workshop Sweep Fan 20 watt motor. Innovative Energy Saving design. DIY Installation. Complete with 2 metre long lead with inline on/off switch and mains plug. Single speed. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644048848</p>			<p>CSF120BA 120cm 3 Blade Aluminium Ceiling Sweep Fan 65 watt motor, long life ball race bearing. Reverse action motor for summer/winter operation. Aluminium blades. Light adaptable. Slim line wall plate control. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644028246</p>
<p>CSF120BAC 120cm 3 Blade Aluminium Ceiling Sweep Fan with Clipper Light 65 watt motor, long life ball race bearing. Reverse action motor for summer/winter operation. Aluminium blades. Clipper style light included. Slim line wall plate control. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644028253</p>			<p>CSF120BAL 120cm 3 Blade Aluminium Ceiling Sweep Fan with Oyster Light 65 watt motor, long life ball race bearing. Reverse action motor for summer/winter operation. Aluminium blades. Oyster style light included. Slim line wall plate control. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644028260</p>
<p>CSF140HV 140cm 3 Blade Aluminium Ceiling Sweep Fan High Velocity 90 watt motor, high volume air movement. Reverse action motor for summer/winter operation. Aluminium blades. Light adaptable. Slim line wall plate control. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644028291</p>			<p>CSF140HVC 140cm 3 Blade Aluminium Ceiling Fan High Velocity with Clipper Light 90 watt motor, high volume air movement. Reverse action motor for summer/winter operation. Long life ball race bearing. Light adaptable slim line wall plate control. Complete with clipper light. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644053217</p>
<p>CSF140HVO 140cm 3 Blade Aluminium Ceiling Fan High Velocity with Oyster Light 90 watt reverse action motor for summer/winter operation. 3 speed slimline wall plate controller, long life ball race bearings. Complete with oyster light. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644053224</p>			<p>CSF120B 120cm 4 Blade Rattan Ceiling Sweep Fan 65 watt motor, long life ball race bearings. Reverse action motor for summer/winter operation. Rattan blades. Light adaptable. Slim line wall plate control. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644028251</p>
<p>CSF120BCL 120cm 4 Blade Rattan Ceiling Sweep Fan with Clipper Light 65 watt motor, long life ball race bearing. Reverse action motor for summer/winter operation. Rattan blades. Clipper style light included. Slim line wall plate control. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644028222</p>			<p>CSF120BL 120cm 4 Blade Rattan Ceiling Sweep Fan with Oyster Light 65 watt motor, long life ball race bearing. Reverse action motor for summer/winter operation. Rattan blades. Oyster style light included. Slim line wall plate control. Packaged: Colour carton</p> <p>Pack Qty 1 APN 9311644028239</p>

Cooling

CSF120BR

120cm 4 Blade Rattan Ceiling Sweep Fan with Remote Control

65 watt motor, long life ball race bearing. Reverse action motor for summer/winter operation. Rattan blades. Light adaptable. Slim line push button remote control. Packaged: Colour carton

Pack Qty 1
APN 9311644028277



CSF120BRL

120cm 4 Blade Rattan Ceiling Sweep Fan with Clipper Light & Remote Control

65 watt motor, long life ball race bearing. Reverse action motor for summer/winter operation. Rattan blades. Clipper style light included. Slim line, full LCD display remote control. Packaged: Colour carton

Pack Qty 1
APN 9311644028284



CSF120BRO

120cm 4 Blade Rattan Ceiling Sweep Fan

65 watt motor, long life race bearings. Reverse action motor for summer/winter operation. Oyster light included. Four rattan blades. Ball type mount for cathedral ceilings. Slim Line, full LCD display remote control. Packaged: Colour carton

Pack Qty 1
APN 9311644033509



CSF120BSS

120cm 3 Blade Stainless Steel Ceiling Sweep Fan

65 watt motor, long life ball race bearings. Reverse action motor for summer/winter operation. Slim line wall plate control. Light adaptable. Stainless steel blades. Chrome plated motor housing and covers. Packaged: Colour carton

Pack Qty 1
APN 9311644032786



CSF600EXT

Extension Rod for Ceiling Sweep Fans 600mm

600mm length. For extending (lowering) ceiling sweep fans. In matched colours as per Arlec fans. Easy to install.

Pack Qty 10
APN 9311644039808



CSF600EXTSS

Stainless Steel Extension Rod for Ceiling Sweep Fans 600mm

600mm length. For extending (lowering) ceiling sweep fans. Stainless steel finish. Easy to install.

Pack Qty 10
APN 9311644050896



CSF900EXT

Extension Rod for Ceiling Sweep Fans 900mm

900mm length. For extending (lowering) ceiling sweep fans. In matched colours as per Arlec fans. Easy to install.

Pack Qty 10
APN 9311644039815



CSF900EXTSS

Stainless Steel Extension Rod for Ceiling Sweep Fans 900mm

900mm length. For extending (lowering) ceiling sweep fans. Stainless steel finish. Easy to install.

Pack Qty 10
APN 9311644050889



CSF60C Clipper Light Kit

High quality clipper light kit. Suitable for all Arlec brand fans and most other model fans. Complete with spacer, washer, nut and instructions. Packaged: Colour carton

Pack Qty 4
APN 9311644038832



CSF60CSS Stainless Steel Clipper Light Kit

High quality stainless steel clipper light kit. Suitable for all Arlec brand fans and most other model fans. Complete with spacer, washer, nut and instructions. Packaged: Colour carton

Pack Qty 4
APN 9311644038818



Cooling

CSF60Y Oyster Light Kit

High quality oyster light kit. Suitable for all Arlec brand fans and most other model fans. Complete with spacer, washer, nut and instructions. Packaged: Colour carton

Pack Qty **4**
APN **9311644038849**



CSF60YSS Stainless Steel Oyster Light Kit

High quality Stainless steel oyster light kit. Suitable for all Arlec brand fans and most other model fans. Complete with spacer, washer, nut and instructions. Packaged: Colour carton

Pack Qty **4**
APN **9311644038849**



Exhaust Fans

E200 Ceiling Exhaust Fan 200mm

Whisper quiet high performance fan blades.
Long life motor with self lubricating bearings.
18 watt motor. Air movement 246m³/h.
Packaged: Colour carton

Pack Qty 4
APN 9311644000181



E250 Ceiling Exhaust Fan 250mm

Whisper quiet high performance fan blades.
Long life motor with self lubricating bearing.
36 watt motor. Air movement 490m³/h.
Packaged: Colour carton

Pack Qty 4
APN 9311644000198



EX25 Ceiling Exhaust Fan 250mm

Whisper quiet high performance fan blades.
Long life motor with self lubricating bearing.
36 watt motor. Air movement 490m³/h.
Packaged: Colour carton

Pack Qty 4
APN 9311644039839



FLEX1 Fanlight DIY, 250mm Oyster Style Exhaust/Light.

Max 60 watt globe. Electronic logic control allows the
choice of fan or exhaust fanlight or both using single
switch. Easy removal of grill for cleaning.
12 month warranty.
Packaged: Colour carton

Pack Qty 2
APN 9311644034377



E501 3 in 1 Heat Lamp and Exhaust Fan White

3 in 1 Heat Lamp, Exhaust Fan and Light.
Modern decorator designed grill. 4 x 275 watt heat lamps.
1 x 100 watt centre globe. 4 gang Arlec Switch (supplied).
Dual heat setting (2 or 4 globe). 1.5m flexible ducting
included. Removable grill for easy cleaning.
Packaged: Colour carton

Pack Qty 2
APN 9311644042716



High Voltage Lights

FL100B PAR38 Floodlight Lamp Holder

Uses PAR38 150 watt (max) rating globe (not included.)
For hard wiring to 240 volt mains. Directional floodlight.
Weather resistant, high impact resistant, UV stabilised
construction. Wall or eave mount.
Packaged: Polybag with header card

Pack Qty 12
APN 9311644000297



FL101 Floodlight Lamp Holder with PAR38 Globe

PAR38 150 watt rating globe included. For hard wiring
to 240 volt mains. Directional floodlight.
Weather resistant, high impact resistant, UV stabilised
construction. Wall or eave mount.
Packaged: Clamshell

Pack Qty 6
APN 9311644001164



FL102 Twin Par38 Floodlight

Twin Adjustable flood light holder - black. Weather
resistant IP44, gaskets included.
Uses PAR38 globes 150 watt (not included)
Packaged: Polybag with header card

Pack Qty 12
APN 9311644018643



FL200 Portable Floodlight with PAR38 Globe

PAR38 150 watt rating globe included. Versatile stand
with 1.8 metre lead. Can be mounted, hung or spiked to
the ground. Directional floodlight.
Weather resistant, high impact resistant, UV stabilised
construction.
Packaged: Clamshell

Pack Qty 6
APN 9311644007081



FL202 Portable Floodlight with Energy Saving CFL PAR38

Energy Saving 24W CFL PAR38 globe included (Aluminium Housing).
Equivalent to 120 watt incandescent globe. Consumes 80% less
energy than regular PAR38 globe. Last up to 15000 hours operating
time. Versatile stand with 1.8 metre lead. Can be mounted, hung or
spiked to the ground. Directional floodlight. Weather resistant,
UV stabilised construction. Packaged: Colour carton

Pack Qty 6
APN 9311644051824



FL212 Portable Floodlight with Energy Saving CFL PAR39

Energy Saving 24W CFL PAR38 globe included. Equivalent to 120
watt incandescent globe. Consumes 80% less energy than regular
PAR38 globe. Last up to 15000 hours operating time. Versatile stand
with 1.8 metre lead. Can be mounted, hung or spiked to the ground.
Weather resistant, high impact resistant,
UV stabilised construction. Packaged: Colour carton

Pack Qty 6
APN 9311644052463



HL10 500W Portable Halogen Floodlight

500 watt linear tungsten halogen tube included.
240 volt power point plug-in.
Weather resistant, die cast aluminium construction
with safety grille. Adjustable stand.
Ideal outdoor portable light for work sites.
Packaged: Colour carton

Pack Qty 4
APN 9311644007654



HL12 500W Power Floodlight

500 watt linear tungsten halogen tube included. 240
volt power point plug-in. Weather resistant die cast
aluminium construction with safety grille.
Adjustable stand. Can also be wall mounted.
Packaged: Colour carton

Pack Qty 4
APN 9311644007388



HL15 150W Halogen Floodlight (Black)

150 watt linear tungsten halogen tube included. For
hard wiring to mains. Weather resistant die cast
aluminium housing with tempered glass. Integral
junction box with terminal strip. Wall mount.
Colour: Black.
Packaged: Colour carton

Pack Qty 6
APN 9311644006879



HL18 250W Halogen Floodlight on Tripod

250 watt linear tungsten halogen tube included. 240
volt power point plug-in. Weather resistant, die cast
aluminium construction with safety grille. Adjustable
metal tripod folds away for storage convenience.
Height 1.1 metres. Professional workman's light.
Packaged: Colour carton

Pack Qty 4
APN 9311644010913



High Voltage Lights

HL19

Twin 500W Halogen Floodlight on Tripod

2 x 500 watt linear tungsten halogen tubes included. 240 volt power point plug-in. Weather resistant, die cast aluminium construction with safety grille. Adjustable metal tripod folds away for storage convenience. Height 1.8 metres. Professional workman's light. Packaged: Colour carton

Pack Qty 2

APN 9311644011033



HL30

Broadlight Wide Angle Halogen Floodlight

Durable die cast aluminium/zinc alloy housing & frame with polyester powder coated finish. 2 x 250 watt halogen linear tungsten tubes (78mm). 2360 horizontal and 1200 vertical illumination spread. Heavy Duty metal stand with angle adjustment bracket. Weather resistant IP44. Packaged: Colour carton

Pack Qty 2

APN 9311644033158



HL33

Twin 250W Broadlight Wall Mount Halogen Floodlight

2 x 250 Watt Revolutionary wide-angle halogen light provides broader illumination. Die cast aluminium/zinc alloy housing and frame with Polyester Powder Coated finish. Supplied with 2 x 250 watt halogen linear tungsten tubes (78mm). Brightness approx. 2,400 lumen". Packaged: Colour carton

Pack Qty 6

APN 9311644035039



HL5

500W Halogen Floodlight

Powerful 500 watt linear tungsten halogen tube included. Illuminates large areas ie. courtyards and car parks. For hard wiring to 240 volt mains. Weather resistant die cast aluminium housing with tempered glass. Integral junction box with terminal strip. Wall mount. Colour: Black. Packaged: Colour carton

Pack Qty 6

APN 9311644006503



HL8

150W Portable Halogen Floodlight

150 watt linear tungsten halogen tube included. 240 volt power point plug-in. Weather resistant die cast aluminium construction with safety grille. Adjustable stand. Ideal outdoor portable light for BBQ's and work sites. Packaged: Colour carton

Pack Qty 6

APN 9311644009061



High Voltage Lights

HL22

"3 in 1" 250W Halogen Worklight with Tripod

250 Watt Halogen Worklight with '3 in 1' mounting arrangement - Telescoping Tripod or Heavy Duty Clamp or Hang Hook. Die cast Aluminium/Zinc Alloy Floodlight. Supplied with 250 watt halogen linear tungsten tube 78mm. Brightness approx. 2400 lumen, colour temp 3000K. Packaged: Colour carton

Pack Qty 4

APN 9311644032295



HL31

Broadlight Wide Angle Halogen Floodlight with Tripod

2 x 250 watt halogen linear tungsten tubes (78mm). Brightness approx. 2,400 lumen colour 2360 horizontal and 1200 vertical illumination spread. High temperature tempered glass faces, with unique design safety grille. Adjustable 2 section telescoping metal tripod. Weather resistant rating IP44. 1.8 metre mains cord. Packaged: Colour carton

Pack Qty 2

APN 9311644033752



HL34

Twin Outlet Wide Angle Portable Halogen Floodlight

Revolutionary wide-angle halogen light provides broader illumination than traditional floodlights. Sockets have Safety Overload Protection – Power is shut off in the event of overloading. Durable die cast aluminium/zinc alloy housing and frame with Polyester Powder Coated finish. Packaged: Colour carton

Pack Qty 4

APN 9311644048640



HL50

500W Wide Angle Portable Halogen Floodlight

Revolutionary wide-angle halogen light provides broader illumination than traditional floodlights. Durable die cast aluminium/zinc alloy housing and frame with Polyester Powder Coated finish. Supplied with 2 x 500 watt halogen linear tungsten tubes (118mm). Packaged: Colour carton

Pack Qty 2

APN 9311644038139



WL11

240 volt Fluorescent Work Light

Long life 11 watt fluorescent tube included. 240 volt power point plug-in. Weather resistant, high impact resistant casing with hang hook. Ideal for workshop and on-site use. Packaged: Colour carton

Pack Qty 4

APN 9311644008866



High Voltage Lights

WL12 Fluorescent Light 12 volt DC

Plugs into 12 volt car cigarette lighter. Long life 11 watt fluorescent tube included. Car battery adaptor included. Weather resistant, high impact resistant casing with hang hook. Ideal for workshop, emergency and on-site use. Packaged: Colour carton

Pack Qty 6
APN 9311644009894



WL18 Power Light - Work Light

Portable Fluorescent Worklight. Ideal for outdoor use. Weather resistant construction. Supplied with E27 lamp holder, fitted with 20W compact fluorescent lamp. Light direction adjustment via rotation of main body. High Light output reflector. Weather resistant IP44, 1.8 metre long mains cord. Packaged: Colour carton

Pack Qty 4
APN 9311644049180



FT11 Fluorescent Tube 11 watt

Long life. Replacement tube for 11 watt applications. WL11 & WL12. Packaged: Blister pack, 1 tube per card

Pack Qty 12
APN 9311644011583



HT250 250 Watt Tungsten Halogen Tube

Long life. Replacement tube for 250 watt applications. HL18. Packaged: Blister pack

Pack Qty 12
APN 9311644011224



EL550 LED Bollard Light - Stainless Steel 240 volt

Stainless steel Construction. Long life 12 x LED cluster sealed in an IP44 weather resistant housing. Height: 500mm. Length and width of head: 76mm. Add to your Current Garden Lighting. Coordinate Your House and Garden Lighting. Packaged: Colour carton

Pack Qty 6
APN 9311644051992



High Voltage Lights

WL17 Heavy Duty Work Light

Heavy Duty General Work Light for workshop and on-site use. High impact resistant casing with hang hook and spring clip. Runs from 240 volt mains. 3 metre mains cord. On/Off switch on handle. Uses general household type ES globe (Max. 60 Watts). High efficiency internal reflector. Packaged: Polybag with header card

Pack Qty 4
APN 9311644032625



WL26 Portable Fluorescent Worklight

Ideal for indoor use or close quarter jobs. High Lumen output with minimal heat output. Weather resistant construction. Supplied with 20 watt 3U tube energy saving fluorescent bulb. Adjustable heavy duty metal stand. High Light output reflector. Weather resistant IP44. 1.8 metre long mains cord. Packaged: Colour carton

Pack Qty 4
APN 9311644048572



HT150 150 watt Tungsten Halogen Tube

Long life. Replacement tube for 150 watt applications. HL8, HL15 & HL16. Packaged: Blister pack

Pack Qty 12
APN 9311644004318



HT500 500 watt Tungsten Halogen Tube

Long life. Replacement tube for 500 watt applications. HL5, HL10, HL12, HL19, HL20 and HL503. Packaged: Blister pack

Pack Qty 12
APN 9311644006381



FL38 PAR38 Floodlight Globe

240 Volt 150W PAR38 floodlight globe. Edison screw base. 2000 hour lifetime rating. Packaged: Colour carton

Pack Qty 24
APN 9311644011316



Low Voltage Lights - Garden

LV8 4 Tier Light Kit

4 Tier Glow Garden Light Kit.
4 UV stabilised plastic tier lights with 4 watt globes.
12 metre of cable, a weather resistant transformer
and replaceable fuse.
Packaged: Colour carton

Pack Qty 4
APN 9311644010494



LV48 Stainless Steel LED Tier Garden Lights 6 Volt - pack of 4

Safe 6Volt Low Voltage. Stainless steel construction.
Long life 2 x LED. 10 metre of cable and a weather
resistant transformer. Add to your current garden
lighting. Coordinate your house and garden lighting.
Packaged: Colour carton

Pack Qty 6
APN 9311644051985



LV67 6 Night Glow Garden Tier Light Kit with Timer

6 UV stabilised plastic tier lights with 4 watt globes,
16m of cable, a weather resistant transformer with in
built automatic timer, photo-cell dusk to dawn sensor
and replaceable fuse.
Packaged: Colour carton

Pack Qty 4
APN 9311644015734



LVD850 70mm Round Led Deck/Eave Light Kit

10 Circular Deck Lights Kit. Safe 12 Volt low voltage.
Stainless steel construction. DIY Installation. Four super
bright white LEDs with frosted glass diffuser. Add to
your house and garden lighting. Compliments other
Arlec stainless steel outdoor light fittings.
Packaged: Colour carton

Pack Qty 6
APN 9311644049609



LVG001B Vertical Garden Light

Safe low voltage. D.I.Y installation. 170mm high. Used
to light trees, etc. UV stabilised and high impact
resistant plastic construction. Verdigris finish. Easy
screw-in wiring system - no need to cut & strip wires.
Bright 4 Watt globe. Can be used with other Arlec
garden lighting products. Packaged: Colour carton

Pack Qty 5
APN 9311644039020



LVG002B Bollard Path Light

Safe low voltage. D.I.Y installation. 200 mm high. Used
to light paths, small shrubs, etc. UV stabilised and high
impact resistant plastic construction. Verdigris finish.
Easy screw-in wiring system - no need to cut & strip
wires. 4 Watt globe. Can be used with other Arlec
garden lighting products. Packaged: Colour carton

Pack Qty 5
APN 9311644039037



LVG003B Cupola Garden Light

Safe low voltage. D.I.Y install. 130mm high. To light small
trees, hedges etc. Up Light with a "spread" output. UV
stabilised and high impact resistant plastic construction.
Verdigris finish. Screw-in wiring system - no need to cut
& strip wires. Bright 4 Watt globe. Use with other Arlec
garden light products. Packaged: Colour carton

Pack Qty 5
APN 9311644039044



LVG004B Capella Garden Light

Safe low voltage. Do-it-yourself installation. 130mm
high. UV stabilised and high impact resistant plastic
construction. Verdigris finish. Easy screw-in wiring
system - no need to cut & strip wires. Bright 4 Watt
globe. Can be used with other Arlec garden lighting
products. Packaged: Colour carton

Pack Qty 5
APN 9311644039051



LVG005B Torre Garden Light

Do-it-yourself installation. 130mm high. UV stabilised
and high impact resistant plastic construction. Verdigris
finish. Do-it-yourself installation. Safe low voltage.
Easy screw-in wiring system - no need to cut & strip
wires. 4 Watt globe. Can be used with other Arlec
garden lighting products. Packaged: Colour carton

Pack Qty 5
APN 9311644039068



LVG006B Tier Light

Safe low voltage. Do-it-yourself installation.
UV stabilised and high impact resistant plastic
construction. Verdigris finish. Easy screw-in wiring
system - no need to cut & strip wires. Bright 4 Watt
globe. Can be used with other Arlec garden lighting
products. Packaged: Colour carton

Pack Qty 5
APN 9311644039075



Low Voltage Lights - Garden

LVG007B Flood Light

Safe low voltage. Do-it-yourself installation. UV stabilised and high impact resistant plastic construction. Verdigris finish. Easy screw-in wiring system - no need to cut & strip wires. Bright 4 watt globe. Can be used with other Arlec garden lighting products. Packaged: Colour carton

Pack Qty 5
APN 9311644039082



LVG104 LED Umbrella Garden Light - Battery Operated

Safe Low Voltage. Batteries included. Easy to install - mounts around garden umbrella pole. Long life 6 x LED cluster sealed in each globe. Add to your current garden lighting. Co-ordinate your house and garden lighting. Packaged: Colour carton

Pack Qty 6
APN 9311644053088



LVG502 "Slimline" Garden Light

Safe 12volt low voltage. Stainless steel construction. Do it yourself installation. Super bright 10 watt 12volt halogen globe. Add to your current garden lighting. Co-ordinate your house and garden lighting. Compliments other Arlec stainless steel outdoor light fittings. Packaged: Colour carton

Pack Qty 6
APN 9311644047766



LVG505 "Bollard" Garden Light

Safe 12 volt low voltage. Stainless steel construction. Do it yourself installation. Super bright 10 watt. 12 volt halogen globe. Add to your current garden lighting. Co-ordinate your house and garden lighting. Compliments other arlec stainless steel outdoor light fittings. Packaged: Colour carton

Pack Qty 6
APN 9311644047773



LVG507 "Accent" Garden Light

Safe 12 volt low voltage. Stainless steel Construction. Do it yourself installation. Super bright 10 watt, 12 volt halogen globe. Add to your current garden lighting. Co-ordinate your house and garden lighting. Compliments other Arlec stainless steel outdoor light fittings. Packaged: Colour carton

Pack Qty 6
APN 9311644047780



LVG520 Bollard Garden Light 12 volt

Safe 12 Volt Low Voltage. Tough Polyresin construction. 5 watt bulb in weather resistant housing. Height: 395mm. DIY Installation. Gentle illumination of your garden path, deck or driveway. Packaged: Colour carton

Pack Qty 6
APN 9311644053057



LVG550 LED Spot Garden Light Stainless Steel 12 volt

Safe 12 volt low voltage. Stainless steel construction. Spot light with pivoting head. Long life 2 watt super bright 9 x led cluster. Add to your current garden lighting. Co-ordinate your house and garden lighting. Compliments other Arlec stainless steel outdoor light fittings. Packaged: Colour carton


Pack Qty 6
APN 9311644053064



LVG551 LED Bollard Garden Light Stainless Steel 12 volt

Safe 12 volt low voltage. Stainless steel construction. Long life 12 x led cluster. 6m of cable and a weather resistant transformer. Add to your current garden lighting. Co-ordinate your house and garden lighting. Packaged: Colour carton

Pack Qty 6
APN 9311644053071



LVG813 Floating Pond Light Kit

3 Floating water lights kit. Safe 12 volt low voltage. Diy installation. Each light socket contains one globe, 2 rubber o-rings, glass tube cover and a larger glass sphere that fits over the top. Add to your house and garden lighting. Compliments other Arlec outdoor light fittings. Packaged: Colour carton

Pack Qty 6
APN 9311644049937



LVG838 Aquarius LED Garden Light Kit

Aquarius garden light. Pack of 3. Safe 12 volt low voltage. Stainless steel construction. DIY installation. Super bright white led with acrylic entrapped bubbles diffuser. Add to your house and garden lighting. Compliments other Arlec stainless steel outdoor light fittings. Packaged: Colour carton

Pack Qty 6
APN 9311644049593



Low Voltage Lights - Garden

LVS101 Solar Garden Light

Plastic construction solar lights. Do it yourself installation. Safe – no wiring. Long lasting led. Maintenance free rechargeable Ni-Cad AA battery included. Light time: up to 6 hours. Automatically turns on at dusk. Self contained system. Environmentally friendly. Packaged: Colour carton

Pack Qty 6
APN 9311644046813



LVS111 Stainless Steel Solar Garden Light

Stainless steel construction solar lights. Do it yourself installation. Safe – no wiring. Long lasting led. Maintenance free rechargeable Ni-Cad AA battery included. Light time: up to 6 hours. Automatically turns on at dusk. Self contained system. Environmentally friendly. Packaged: Colour carton

Pack Qty 6
APN 9311644048756



LVS120 Solar Multi Glow Garden Light

Do it yourself installation. Two settings providing different lighting for various occasions. Setting 1: fixed "white" garden light. Setting 2 party mode: multi colour blue, green red - alternating each second. Auto turns on at dusk. Light time: up to 6 hours. Long lasting led. Packaged: Colour carton

Pack Qty 4
APN 9311644044277



LVS401 Solar Garden Light 4 Pack

Plastic construction solar lights. Do it yourself installation. Safe – no wiring, long lasting led. Maintenance free rechargeable Ni-Cad AA battery included. Light time: up to 6 hours. Automatically turns on at dusk. Self contained system. Environmentally friendly. Packaged: Colour carton

Pack Qty 6
APN 9311644048770



LVS411 Stainless Steel Solar Garden Light 4 Pack

Stainless steel construction solar lights. Do it yourself installation. Safe – no wiring, long lasting led. Maintenance free rechargeable Ni-Cad AA battery included. Light time: up to 6 hours. Automatically turns on at dusk. Self contained system. Environmentally friendly. Packaged: Colour carton


Pack Qty 6
APN 9311644048763



LV127 7 watt/12volt Garden Light Globes

Replacement bulbs for Arlec Garden Lighting Kits. Packaged: Blister pack

Pack Qty 25
APN 9311644008552



LV412 4 watt/12 volt Garden Light Globes

Replacement bulbs for Arlec garden lighting kits. Packaged: Blister pack

Pack Qty 25
APN 9311644009863



LV700 Cable Connector

Connects low voltage garden lighting cable, allowing longer lengths. Packaged: Blister pack

Pack Qty 10
APN 9311644010562



LV24 Transformer 12 volt/24 watt

Transformer output rating 12 volt AC 24 watt, with 0.5m mains input lead. Weather resistant housing IP23 rating. Unscrew terminal output to connect garden light cable. Output protected by replaceable fuse LVF24. Packaged: Colour carton

Pack Qty 10
APN 9311644009856



LV42 Transformer 12 volt/42 watt

Transformer output rating 12 volt AC 24 watt, with 0.5m mains input lead. Weather resistant housing IP23 rating. Unscrew terminal output to connect garden light cable. Output protected by replaceable fuse LVF42. Packaged: Colour carton

Pack Qty 10
APN 9311644008569



Low Voltage Lights - Garden

LVF24

Transformer Fuse

Glass body M205 size fuse. Time delay type.
To suit LV24.
Packet of 4.
Packaged: Blister pack

Pack Qty **10**

APN **9311644014775**



LVF42

Transformer Fuse

Glass body M205 size fuse. Time delay type.
To suit LV42.
Packet of 4.
Packaged: Blister pack

Pack Qty **10**

APN **9311644008859**



Under Cabinet Lighting

UC310

Halogen Puck Light Surface Mounted with Connector

DIY Surface mounted G4 Halogen 12V 20W light in high quality chrome plated steel finish, easy clip on Halogen light with 30cm cable and plug. Ideal for under-cabinet application. Requires transformer and connectors. Halogen lamp life: 1000 to 1500 hours.

Packaged: Colour carton

Pack Qty 6

APN 9311644052142



UC314S

Halogen Wedge Light Surface Mounted with Switch

DIY Surface mounted G4 Halogen 12V 20W light with switch in high quality Stainless steel finish, easy clip on Halogen light with 30cm cable and plug. Fast and easy installation, ideal for undercabinet application. Requires transformer and connectors. Halogen lamp life: 1000 to 1500 hours.

Packaged: Colour carton

Pack Qty 6

APN 9311644052234



UC315

Halogen Twin Wedge Light Surface Mounted with Switch

DIY Surface mounted G4 Halogen 2 x 12V 20W lights with high quality Stainless steel finish, 12V 60W transformer included, 1.5m power cords to mains. Fast and easy installation, ideal for undercabinet application. Halogen lamp life: 1000 to 1500 hours.

Packaged: Colour carton

Pack Qty 4

APN 9311644052159



UC316

Halogen Dome Wedge Light Surface Mounted with Switch

DIY Surface mounted G4 Halogen 12V 20W light with switch in high quality Stainless steel finish, easy clip on Halogen light with 30cm cable and plug. Fast and easy installation, ideal for undercabinet application. Requires transformer and connectors. Halogen lamp life: 1000 to 1500 hours.

Packaged: Colour carton

Pack Qty 6

APN 9311644052227



UC444

Fluorescent Twin Lamp 2 x 11W with Switch

DIY surface mounted 2 x PL/G23 11W fluorescent Lamp with switch and built-in electronic ballast. 1.5m cord to mains connection, inline switch for easy operation, light weight aluminium finish. Fluorescent tube life up to 8000 hours. Ideal for undercabinet, tool shed, entertainment area application.

Packaging: Colour carton

Pack Qty 4

APN 9311644052111



UC608


Fluorescent Shelf Light with Switch

DIY surface mounted shelf with T5 13W Fluorescent Lamp and built-in electronic ballast. 1.5m cord to mains connection, Aluminium housing and tempered glass hold up to 3 Kg. Fast and easy installation. Fluorescent tube life up to 8000 hours. Ideal for kitchen, showcase and Decor application.

Packaging: Colour carton

Pack Qty 1

APN 9311644052197



UC631

Fluorescent Slimline 8W with Power Adaptor and Switch

DIY surface mounted T5 8W Fluorescent Lamp with switch. Built-in electronic ballast and power outlet. 1.5m cord to mains connection, light weight aluminium housing, silver finish. Fast and easy installation. Fluorescent tube life up to 8000 hours. Ideal for undercabinet, tool shed, Kitchen area application.

Packaging: Colour carton

Pack Qty 4

APN 9311644052081



UC651

Fluorescent Modular Light 8W with Switch

DIY surface mounted T5 8W Fluorescent Lamp with switch and built-in electronic ballast. 1.5m cord to mains connection, 20cm interlink cord included. Lights inter-linkable, fast and easy installation. Fluorescent tube life up to 8000 hours. Ideal for undercabinet, tool shed, kitchen area application.

Packaging: Colour carton

Pack Qty 4

APN 9311644052104



UC655

Fluorescent Rail Light - 8W with Switch & Utility Hooks

DIY surface mounted T5 8W Fluorescent Lamp with switch and built-in electronic ballast. 1.5m cord to mains connection. Light weight aluminium housing, hanging hooks included. Fast and easy installation. Fluorescent tube life up to 8000 hours. Ideal for kitchen area application.

Packaging: Colour carton

Pack Qty 4

APN 9311644052180



MF6

DIY 6W Under Cabinet Fluorescent Light

6 watt fluorescent tube included. Slimline design. Easy installation with concealed mount fittings. 240 volt power point plug-in. Double insulated and robust acrylic diffuser. Indoor use. Switch at end. Ideal for lighting a desk, work bench, garage or shed.

Packaged: Blister pack

Pack Qty 6

APN 9311644011439



Under Cabinet Lighting

MF8

DIY 8W Under Cabinet Fluorescent Light

8 watt fluorescent tube. Slimline design. Easy installation with concealed mount fittings. 240 volt power point plug-in. Double insulated and robust acrylic diffuser. Indoor use. Switch at end. Ideal for lighting a desk, work bench, garage or shed.

Packaged: Blister pack

Pack Qty 6

APN 9311644011446



MF13

DIY 13W Under Cabinet Fluorescent Light

13 watt fluorescent tube. Slimline design. Easy installation with concealed mount fittings. 240 volt power point plug-in. Double insulated and robust acrylic diffuser. Indoor use. Switch at end. Ideal for lighting a desk, work bench, garage or shed.

Packaged: Blister pack

Pack Qty 6

APN 9311644011453



Lamps

GAN111

LED Globe 10 watt - Warm White BC type

Long life 9 x LED light globe. Low energy consumption. Replace any incandescent globe. Ideal for PAR38 replacement. Robust aluminium & plastic construction. Contains no mercury or heavy metals. Indoor or outdoor use. Carbon Neutral Rated. Packaged: PVC Tube - Made to order.

Pack Qty 4

APN 9311644053286



GAN110

LED Globe 10 watt - Warm White ES type

Long life 9 x LED light globe. Low energy consumption. Replace any incandescent globe. Ideal for PAR38 replacement. Robust aluminium & plastic construction. Contains no mercury or heavy metals. Indoor or outdoor use. Carbon Neutral Rated.

Packaged: PVC Tube

Pack Qty 4

APN 9311644052357



NL3024

Automatic Dusk to Dawn LED Night Light

Plugs into any household 240 volt power point. Uses extremely long life LED technology. Automatically switches on at dusk and off at dawn. Cost efficient low level lighting for safety and security around your home.

Packaged: Clamshell

Pack Qty 6

APN 9311644052852



NL940

LED Night Light

Direct plug in. Unique modern design. Tough acrylic lens directs light in fan shape. Extremely long life 100,000 hour LED light source. Low running cost. Cool operation - never hot to touch. Safe - lens is tamperproof and LED cannot be accessed - ideal for children's rooms.

Packaged: Blister pack

Pack Qty 6

APN 9311644049234



NL101

Dual LED Night Light

Dusk to Dawn operation. Direct Plug in. Uses LED light. 100,000 hour LED light source. Low Running cost - less than 50 cents per month for constant use.

Packaged: Blister pack

Pack Qty 6

APN 9311644031420



NL901

Automatic Dusk To Dawn LED Night Light

Plugs into any household 240 volt power point. Energy efficient and safe. Uses LED light. 100,000 hour LED light source. Low running cost. Improved safety features. Photoelectric eye will sense day light and automatically switch the light off.

Packaged: Blister pack

Pack Qty 4

APN 9311644031413



NL951

Eyeball LED Night Light

Direct Plug in - plugs into any household 240 volt power point. Adjustable lens allows you to direct light where it is needed. Uses LED light. 100,000 hour LED light source. Low running cost.

Packaged: Blister pack

Pack Qty 6

APN 9311644031406



HB20

20 watt/12 volt Halogen Globes

Rating HB20 - 20 Watt / 12 Volt. Brightness HB20 - 350 Lumens. 2 Globes per card.

Packaged: Blister pack

Pack Qty 2

APN 9311644011231



NLG1

LED Replacement Globes for NL900/Ser2 E14

Replacement incandescent globe for NL900 Plug in Automatic Night Light. Globe rating 240 volt 7 watt. Edison screw E14 size.

Packaged: Blister pack

Pack Qty 24

APN 9311644031390



NLG7

Replacement Globes for NL900/Ser2 E14

Replacement incandescent globe for NL900 Plug in Automatic Night Light. Globe rating 240 volt 7 watt. Edison screw E14 size.

Packaged: Blister pack

Pack Qty 24

APN 9311644010647



Festive Lighting

BLG11 Budlight Globes - 5 Clear

Replacement Budlight Globes. 5 Clear.
Packaged: Blister pack

Pack Qty 20
APN 9311644022480



BLG12 Budlight Globes - 5 Coloured

Replacement Budlight Globes. 5 Colour.
Packaged: Blister pack

Pack Qty 20
APN 9311644022497



BLG13 Replacement Budlight Globe 10 Clear with Bulb Tester

Replacement Budlight Globes. 10 Clear
Packaged: Blister pack

Pack Qty 10
APN 9311644022503



BLG14 Replacement Budlight Globe 10 Coloured with Bulb Tester

Replacement Budlight Globes. 10 Coloured
Packaged: Blister pack

Pack Qty 10
APN 9311644022510



LV150 Bud Lighting Kit 150 Clear with No Controller

Approximate length of light string 13m. Lead length to
1st globe 10m. Indoor/outdoor transformer.
6 spare bulbs supplied.
Packaged: Colour carton

Pack Qty 6
APN 9311644015475



LV151 Bud Lighting Kit 150 Coloured with No Controller

Approximate length of light string 13m. Lead length to
1st globe 10m. Indoor/outdoor transformer.
6 spare bulbs supplied.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644015482



LV153 Bud Lighting Kit 150 Coloured with 8 Function Controller

Approximate length of light string 13m. Lead length to
1st globe 10m. Indoor/outdoor transformer.
6 spare bulbs supplied.
Packaged: Colour carton

Pack Qty 6
APN 9311644015505



LV203 Bud Lighting Kit 200 Clear with No Controller

Approximate length of light string 18m. Lead length to
1st globe 10m. Indoor/outdoor transformer.
6 spare bulbs supplied.
Packaged: Colour carton

Pack Qty 6
APN 9311644015512



LV205 Bud Lighting Kit 200 Coloured with 8 Function Controller

Approximate length of light string 18m. Lead length to
1st globe 10m. Indoor/outdoor transformer.
6 spare bulbs supplied.
Packaged: Colour carton

Pack Qty 6
APN 9311644015536



LV206 Bud Lighting Kit 200 Clear with 8 Function Controller

Approximate length of light string 18m. Lead length to
1st globe 10m. Indoor/outdoor transformer.
6 spare bulbs supplied.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644016175



Festive Lighting

LV300

Bud Lighting Kit 300 Clear No Controller

Approximate length of light string 21metre. Lead length to 1st globe 10m. Indoor/outdoor transformer. 12 spare bulbs supplied. Package: Colour carton

Pack Qty 6
APN 9311644022176



LV305

Bud Lighting Kit 300 Coloured with 8 Function Controller

Approximate length of light string 21m. Lead length to 1st globe 10m. Indoor/outdoor transformer. 12 spare bulbs supplied. Package: Colour carton

Pack Qty 6
APN 9311644016090



LV404

Bud Lighting Kit 400 Clear with 8 Function Controller

Approximate length of light string 28m. Lead length to 1st globe 10m. Indoor/outdoor transformer. 12 spare bulbs supplied. Package: Colour carton

Pack Qty 4
APN 9311644052586



LV406

Bud Lighting Kit 400 Coloured with 8 Function Controller

Approximate length of light string 28m. Lead length to 1st globe 10m. Indoor/outdoor transformer. 12 spare bulbs supplied. Package: Colour carton - Made to order.

Pack Qty 4
APN 9311644052784



LV604

Bud Lighting Kit 600 Clear with 8 Function Controller

2 strings of 300 budlights each. Approximate length of light, each string 21m. (Total 42m). Lead length to 1st globe 10m. Indoor/outdoor transformer. 20 spare bulbs supplied. Package: Colour carton - Made to order.

Pack Qty 4
APN 9311644050131



LVA001

10 Garden Sticks for Budlighting

Ideal for hanging bud and spark lights around pathways and garden edges. Package: Colour carton

Pack Qty 10
APN 9311644028314



LVA002

50 Budlight Suction Cups

Idea for hanging festive and entertainment lights around windows and doors. Package: Blister pack

Pack Qty 10
APN 9311644028321



LVA003

50 Budlight Gutter Cups

Idea for attaching budlights to gutters and rooflines. Package: Blister pack

Pack Qty 10
APN 9311644028338



LV109

10 Metre Clear Rope Light with 8 Function Controller

Safe low voltage. A string of 132 coloured budlights bulbs, housed in a weather resistant transparent tube. Indoor/outdoor transformer. 8 Function controller. Indoor or outdoor use. Package: Colour carton

Pack Qty 6
APN 9311644018964



LV322

120 LED Curtain Blue Star Lights

Safe low voltage. AC adapter supplied. Long life blue LED lights. Indoor or outdoor use. Package: Colour carton

Pack Qty 6
APN 9311644052418



Festive Lighting

LVE081

80 Blue/white LED With Transformer

80 Blue/White LED with 8 function controller. Safe low voltage. AC adaptor supplied. Long life Blue & White LED lights. Packaged: Colour carton

Pack Qty 6
APN 9311644045311



LVE101A

40 Pinecone Shaped Red and Green LED Lightswith 8 Function Controller

Safe low voltage. AC adapter supplied. Long life Red and Green LED lights with 8 function controller. Indoor or outdoor use. Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644043157



LVE109

100 Super Bright White LED Lights

100 Super Bright White LED. Safe low voltage. AC adaptor supplied. Long life White LED lights. Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644050032



LVE128

20 Multicoloured LED Round Discs

20 Multicoloured LED Round Discs. Safe low voltage. AC adaptor supplied. Long life Blue, Amber, Green, Red LED lights. Packaged: Colour carton

Pack Qty 6
APN 9311644049951



LVE129

24 Multicoloured LED Star Burst Light

Safe low voltage. AC adapter supplied. Long life Blue, Amber, Green, Red LED lights. Indoor or outdoor use. Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644049906



LVE175

75 Blue LED Star Icicle Kit

75 Blue LED Star Icicle Kit. Safe low voltage. AC adaptor supplied. 10 large Stars and 25 small stars. Long life Blue LED lights. Packaged: Colour carton

Pack Qty 6
APN 9311644050247



LVE180

81 Red LED with 6 volt Battery

Battery Operated. 6 volt battery supplied. Long Life Red LED Lights. Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644043195



LVE184

100 Blue/White LED with 8 Function Controller

Safe low voltage. AC adapter supplied. Long life Blue & White LED lights. Indoor or outdoor use. Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644047414



LVE221

120 Solar Powered Blue & White LED Curtain Star Lights with Steady/Flashing Function.

Safe low voltage. Solar. Long life Blue & White LED lights. Automatically switches on at dusk. Run time approx.. 6-8 hours. Outdoor use. Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644052579



LVE224

20 Solar Powered Multicoloured LED Fibre Optic Lights with Steady/Flashing Function.

Safe low voltage. Solar. Long life White LED lights. Automatically switches on at dusk. Run time approx.. 6-8 hours. Outdoor use. Packaged: Colour carton

Pack Qty 6
APN 9311644052562



Festive Lighting

LVE103 100 Solar Powered White LED Lights

Safe low voltage. Solar. Long life White LED lights. Automatically switches on at dusk. Run time approx. 6-8 hours. Outdoor use.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644049869



LVE104 100 Solar Powered Multicoloured LED Lights

Safe low voltage. Solar. Long life Blue, Amber, Green, Red LED lights. Automatically switches on at dusk. Run time approx. 6-8 hours. Outdoor use.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644049876



LVE253 50 Solar Powered White LED Lights with Steady/Flashing Function.

Safe low voltage. Solar. Long life White LED lights. Automatically switches on at dusk. Run time approx. 6-8 hours. Outdoor use.
Packaged: Colour carton

Pack Qty 6
APN 9311644052548



LVE254 50 Solar Powered Multicoloured LED Lights with Steady/Flashing function.

Safe low voltage. Solar. Long life Blue, Amber, Green, Red LED lights. Automatically switches on at dusk. Run time approx. 6-8 hours. Outdoor use.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644052555



LVE281 81 White LED with 6V Battery

Battery Operated. 6 volt battery supplied. Long Life LED lights. "Try Me" test button.
Packaged: Clamshell


Pack Qty 6
APN 9311644047506



LVG851 8 Multi Coloured Garden Arches with 8 Function Controller

8 Multicoloured Garden Arches with 8 function controller. Safe low voltage. AC adaptor supplied. Each stack with 10 lights (Blue, Red, Orange, Green).
Packaged: Colour carton

Pack Qty 6
APN 9311644050230



LVX020 180cm Fibre Optic Christmas Tree

Safe low voltage. AC adapter supplied. Indoor or outdoor use.
Packaged: Colour carton

Pack Qty 4
APN 9311644026532



LVX024 120cm Fibre Optic Christmas Tree

Safe low voltage. AC adapter supplied. Indoor or outdoor use.
Packaged: Colour carton - Made to order.

Pack Qty 4
APN 9311644027188



PL121 20 Low Voltage Party Lanterns

Approximate length of light string 6m. Lead length to 1st light 10m. Indoor/outdoor transformer. 6 spare LED's supplied.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644026006



PL221 20 Low Voltage Party Lanterns with Steady/Flashing Function

20 Red, Yellow, Green, Blue Lanterns. Safe low voltage. AC adapter supplied. Indoor or outdoor use.
Packaged: Colour carton

Pack Qty 6
APN 9311644052395



Festive Lighting

PL123

20 Japanese Style Lanterns

Safe low voltage. AC adaptor supplied. Long life white LED lights. Indoor or outdoor use.
Packaged: Colour carton

Pack Qty 6
APN 9311644047520




PL200

200 Clear Icicle Rice Lights

200 Clear Icicle Rice Curtain Lights. Safe low voltage. AC adaptor supplied.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644049982



PL201

20 Clear Bud Lights - Star Shaped Covers

20 Clear Bud Lanterns Star Shaped. Safe low voltage. AC adaptor supplied.
Packaged: Colour carton

Pack Qty 6
APN 9311644049968



PL227

20 Blue & White LED Diamonds

20 Blue/White LED Diamond Shaped. Safe low voltage. AC adaptor supplied. Long life Blue & White LED Diamond Shaped lights.
Packaged: Colour carton - Made to order.

Pack Qty 6
APN 9311644049975



PL241

20 Clear Bud Lights - White Cylinder Shaped Lanterns

20 Clear Bud Lantern Cylinder Shaped. Safe low voltage. AC adapter supplied. Indoor or outdoor use.
Packaged: Colour carton - Made to order.

Pack Qty 12
APN 9311644043171



Truck & Trailer LED Lamps

89310

Triple LED Auto Lamps Kit Twin Stop/Tail (Red) with Inbuilt Retro Reflector.

Rear Direction Indicator (Amber). With Triple Top (Black).
Packaged: Colour carton



Pack Qty 2
APN 9311644049524

89330

Triple LED Auto Lamps Kit Stop/Tail (Red) with Inbuilt Retro Reflector.

Rear Direction Indicator (Amber). Reversing (White).
With Triple Top (Black).
Packaged: Colour carton



Pack Qty 2
APN 9311644049548

89260

Double LED Auto Lamps Kit Stop/Tail (Red) with Inbuilt Retro Reflector.

Rear Direction Indicator (Amber). With Double Top (Black).
Packaged: Colour carton



Pack Qty 2
APN 9311644049487

89110

LED Auto Lamp Kit Stop/Tail (Red) with Inbuilt Retro Reflector.

With Single Top (Black).
Packaged: Colour carton



Pack Qty 4
APN 9311644049401

89130

LED Auto Lamp Kit Rear Direction Indicator (Amber).

With Single Top (Black).
Packaged: Colour carton



Pack Qty 4
APN 9311644049425

89150

LED Auto Lamp Kit Reversing White

With Single Top (Black).
Packaged: Colour carton



Pack Qty 4
APN 9311644049449

89610

Combo LED Auto Lamp Kit Stop/Tail (Red) with inbuilt Retro Reflector.

Rear Direction Indicator (Amber). With Single Top (Black).
Packaged: Colour carton




Pack Qty 4
APN 9311644049579

89620

Combo LED Auto Lamp Kit with 6 metre lead

Stop/Tail (Red) with inbuilt Retro Reflector Rear Direction Indicator (Amber) With Single Top (Black) with 6 metre lead.
Packaged: Clamshell



Pack Qty 4
APN 9311644051077

89303

Triple Cover 89 Series Chrome

Suitable for Triple LED Auto Lamps Kit.
Packaged: Blister pack



Pack Qty 10
APN 9311644049364

89203

Double Cover 89 Series Chrome

Suitable for Double LED Auto Lamps Kit.
Packaged: Blister pack



Pack Qty 10
APN 9311644049357

Truck & Trailer LED Lamps

89103 Single Cover 89 Series Chrome

Suitable for Single LED Auto Lamps Kit.
Packaged: Blister pack

Pack Qty **10**
APN **9311644049340**



82110 Side Marker LED Auto Lamp

LED Rear Outline Marker (Red) Lamp With Deflector Cover.
Packaged: Blister pack

Pack Qty **10**
APN **9311644050957**



82111 Side Marker LED Auto Lamp

LED Rear Outline Marker (red) lamp
Packaged: Blister pack

Pack Qty **10**
APN **9311644050964**



82120 Side Marker LED Auto Lamp

LED Amber Supplementary Side Direction Indicator Lamp with Black Deflector Cover & LED Cabin/Side Marker (Amber) Lamp
Packaged: Blister pack

Pack Qty **10**
APN **9311644050971**



82121 Side Marker LED Auto Lamp

LED Amber Supplementary Side Direction Indicator Lamp & LED Cabin/Side Marker (Amber) Lamp.
Packaged: Blister pack

Pack Qty **10**
APN **9311644050988**



82130 Side Marker LED Auto Lamp

LED Front Outline Marker (White) Lamp with Deflector Cover.
Packaged: Blister pack

Pack Qty **10**
APN **9311644050995**



82131 Side Marker LED Auto Lamp

LED Front Outline Marker (White) Lamp
Packaged: Blister pack

Pack Qty **10**
APN **9311644051008**



82610 Combo Side Marker LED Auto Lamp

Combo LED Red / Amber Side Marker Lamp with Deflector Cover
Packaged: Blister pack

Pack Qty **10**
APN **9311644051015**



82710 Licence Plate LED Auto Lamp

LED Top Licence Plate Lamp
Packaged: Blister pack

Pack Qty **10**
APN **9311644051039**



82720 Licence Plate LED Auto Lamp

LED Side Licence Plate Lamp
Packaged: Blister pack

Pack Qty **10**
APN **9311644051046**



Tools & Accessories

ET571B Super Tool

This 12 volt, lightweight, versatile electric tool is designed for sanding, grinding, polishing, cutting, engraving, milling, erasing and drilling up to 2mm in steel. Includes lock for continuous running. High torque motor, operates at 10,000 rpm. AC adaptor plugs into a regular 240-Volt power point. Packaged: Carry case

Pack Qty 1
APN 9311644000211



RE111 Easy Etch Engraver

Engraves most surfaces including metal, wood, brass, alloys, glass etc. Supplied with a hardened steel engraving bit. Low vibration operation. Adaptor plugs directly into a regular household power point (240V) reducing the voltage to a safe low 12 volts. Comes supplied with a steel engraving bit. Packaged: Blister

Pack Qty 1
APN 9311644000372



ET688 Diamond Burr

Super Tool/Engraver accessory. Engraving bit is HSS with diamond abrasive cutting surface, ball head bit 1.4mm diameter. Shaft size is 2.3mm diameter. Packaged: Blister pack

Pack Qty 1
APN 9311644000266



ET669 Engraving Burr Set

Super Tool/ Engraver accessory. Engraving burrs are HSS, with one each of the following sizes, ball head bit 1.6mm dia, small trapezium head bit 1.4mm diameter, conical head bit 2.2mm diameter. Shaft size is 2.3mm diameter. Pack of 3.

Packaged: Blister pack
Pack Qty 1
APN 9311644000259



Power Supplies & Transformers

PS1299

Multi Voltage 1 Amp Power Supply

Provides DC outputs of 6, 7.5, 9 or 12 volts at up to 1amp. Plug pack enclosure with 2 metre output cord. Supplied with 5 connector plugs to suit most electronic equipment. Double insulated for safety. Ideal for radio, tape recorders, musical instruments.

Packaged: Clamshell

Pack Qty 4

APN 931164400902



PS699

Multi Voltage Battery Eliminator 500mA

Provides DC outputs of 3, 4.5, 6, 7.5, 9 or 12V at up to 500 milli amp. Supplied with eight connector plugs to suit most electronic equipment. Double insulated. Suits CD players, radios, tape recorders, musical instruments, including keyboards, mobile phones, PCs. Electrical Authority approved. Packaged: Clamshell

Pack Qty 4

APN 9311644000389





09
catalogue



ANTSIG



Audio Visual

AP011 Audio Adaptor 2.5 Plug to 3.5 Socket

Converts 2.5mm Stereo Plug to 3.5mm Stereo Socket.
Packaged: Clamshell

Pack Qty 5
APN 9311324080113



AP014 Audio Adaptor 3.5 Plug to 2.5 Socket

Converts 3.5mm Stereo Plug to 2.5mm Stereo Socket.
Packaged: Clamshell

Pack Qty 5
APN 9311324080144



AP018 Audio Adaptor 3.5 Plug to 6.35 Socket

Converts 3.5mm Stereo Plug to 6.35mm Stereo Socket.
Packaged: Clamshell

Pack Qty 5
APN 9311324080182



AP019 Audio Adaptor 3.5 to 3.5 Sockets

Extend audio leads with this 3.5mm Stereo Socket to 3.5mm Stereo Socket Adaptor.
Packaged: Clamshell

Pack Qty 5
APN 9311324080199



AP030 Audio Adaptor 6.35 Plug to 3.5 Socket

Converts audio signal between 3.5mm Stereo Socket and 6.35mm Stereo Plug.
Packaged: Clamshell

Pack Qty 5
APN 9311324080304



AP024 Audio Adaptor RCA Plug to 3.5 Socket

Converts audio signal between 3.5mm Mono Socket and RCA Plug. Two per pack.
Packaged: Clamshell

Pack Qty 5
APN 9311324080243



AP169 Audio Adaptor 3.5 Plug to RCA Socket

Converts audio signal between 3.5mm Mono Plug and RCA Socket. Two per pack.
Packaged: Clamshell

Pack Qty 5
APN 9311324080519



AP027 Audio Adaptor 3.5 Socket to 2 RCA Socket

For splitting stereo audio signal (3.5mm Socket) to 2 RCA Socket. For mixing L & R audio signals (RCA) to 3.5mm Stereo socket.
Packaged: Clamshell

Pack Qty 5
APN 9311324080274



167 Audio Adaptor 3.5 Plug to 2 RCA

For converting audio stereo signals to RCA connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324001675



AP050 Audio 3.5 Metal Plug With Spring

3.5mm Stereo Metal plug with spring. D.I.Y. Audio leads. Two per pack.
Packaged: Clamshell

Pack Qty 5
APN 9311324080502



Audio Visual

AP080 Speaker Cable Terminal Set

Professional Speaker Cable Terminal Set.
Packaged: Clamshell

Pack Qty 5
APN 9311324083411



165 RCA Plugs Connector Kit

For terminating cable to RCA plugs. Gold plated for perfect connection. Wire strain relief to minimise cable stress. Large connectors for easy handling.
Packaged: Clamshell

Pack Qty 5
APN 9311324001651



168 Adaptor RCA Socket to 2 RCA Sockets

For mixing stereo signals. For splitting mono audio or video signals to 2 different pieces of equipment.
Packaged: Clamshell

Pack Qty 5
APN 9311324001682



166 Adaptor RCA Plug to 2 RCA Socket

For mixing stereo signals. For splitting mono audio or video signals to 2 different pieces of equipment.
Packaged: Clamshell

Pack Qty 5
APN 9311324001668



2062 Lead 3.5 Plug to 2 RCA Plugs 1.2 metre

For splitting stereo audio signal (3.5mm plug) to 2 RCA Plugs. Gold plated connections for positive contact.
Packaged: Clamshell

Pack Qty 5
APN 9311324020621



3020 Lead Headphone Extension Kit 5 metre

For extending existing headphone cable. Adaptor for larger audio outlets. Used on MP3 players, portable radios, computer outlets,...etc.
Packaged: Clamshell

Pack Qty 5
APN 9311324030200



AP260 Headphone Extension Kit Lead and Adaptors

Suitable to extend or convert audio signal between different devices. Supports all types of audio connections 2.5mm, 3.5mm, 6.35mm and RCA. Comes with more than 5 metres spiral lead.
Packaged: Clamshell

Pack Qty 5
APN 9311324083404



AP600 Lead 3.5 Plug to 3.5 Twin Socket Splitter 0.2 metre

3.5mm Stereo Plug to 3.5mm Twin Stereo (L & R) Sockets Audio Splitter. Gold plated connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324086009



AP602 Lead 3.5 Plug to 3.5 Socket 3 metre

3.5mm Plug to 3.5mm Socket Extension lead. Gold plated connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324086023



AP604 Lead 3.5 Plug to 3.5 Plug 1.2 metre

3.5 Plug to 3.5 Plug Lead for audio interconnection. Gold plated connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324086047





Audio Visual

AP606

Lead 3.5 Plug to 3.5 Plug 3 metre

3.5mm Plug to 3.5mm Plug Lead for audio interconnection. Gold plated connectors. Packaged: Clamshell

Pack Qty 5
APN 9311324086061



AP608

Lead 3.5 Plug to 2 RCA Plugs 1.2 metre

3.5mm Stereo Plug to 2 RCA Plugs. Colour coded RCA terminals with gold plated connectors. Packaged: Clamshell

Pack Qty 5
APN 9311324086085



AP241

Adaptor RCA Female to RCA Female

Recommended for home theatre and surround sound applications. Can be used to extend RCA cables. Metal connectors provide protection from electrical interference. Packaged: Clamshell

Pack Qty 6
APN 9311324082292



AP242

Adaptor RCA Splitter

Recommended for home theatre and surround sound applications. Can be used to split audio or video signals to two different points. Metal connectors provide protection from electrical interference. Packaged: Clamshell

Pack Qty 6
APN 9311324082308



2001

Lead RCA Plug to RCA Plug 1.5 metre

For interconnecting audio/video signals to different equipment. High quality plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324020010



2002

Lead RCA Plug to 2 RCA Plugs 1.5 metre

For splitting audio/video signal to 2 RCA. For mixing stereo signals to mono. Gold plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324020027



2004

Lead 2 RCA Plugs to 2 RCA Sockets 1.5 metre

For creating RCA extension cables. Colour coded for easy identification of cables. High quality plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324020041



2005A

Lead 2 RCA Plugs to 2 RCA Plugs 1.5 metre

For interconnecting stereo audio or video signals to different equipment. High quality plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324020058



2008A

Lead 2 RCA Plugs to 2 RCA Plugs 4.5 metre

For interconnecting audio/video signals to different equipment. High quality plated connectors for positive contact. Colour coded for easy identification of cables. Packaged: Clamshell

Pack Qty 5
APN 9311324020089



2115

Lead Piggyback 2 RCA 5 metre

For audio connections between equipment. Provides piggyback socket for splitting audio signals to other HiFi equipment. Colour coded for easy connection. Packaged: Clamshell

Pack Qty 5
APN 9311324021154



Audio Visual

AP221

Lead 2 RCA Plugs to 2 RCA Plugs 0.9 metre

Recommended for home theatre and surround sound applications. Dual shielded cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell



Pack Qty 6
APN 9311324082230

AP222

Lead 2 RCA Plugs to 2 RCA Plugs 1.8 metre

Recommended for home theatre and surround sound applications. Dual shielded cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell



Pack Qty 5
APN 9311324082247

AP223

Lead 2 RCA Plugs to 2 RCA Plugs 3.6 metre

Recommended for home theatre and surround sound applications. Dual shielded cable for added protection against electrical interference. Gold plated connectors. Packaged: Clamshell



Pack Qty 4
APN 9311324082254

AP351

Flat Speaker Cable 10 metre

Premium quality flat speaker wire. Specially designed low profile cable for use under carpet in home or car. Suitable for home entertainment applications. Packaged: Clamshell



Pack Qty 6
APN 9311324082315

AP352

Heavy Duty Speaker Cable 5 metre

Premium quality speaker wire. Used for most sound applications. Suitable for home entertainment applications. Packaged: Clamshell



Pack Qty 6
APN 9311324082322

AP353

Heavy Duty Speaker Cable 10 metre

Premium quality speaker wire. Used for most sound applications. Suitable for home entertainment applications. Packaged: Clamshell



Pack Qty 4
APN 9311324082339

902

Speaker Wire 100 metre

Light duty common audio cable. 14 strands, 0.16mm². Suitable for standard audio speaker wiring in home, car, hobby circuits and door chimes. Packaged: Reel



Pack Qty 4
APN 9311324009022

903

Standard Speaker Cable 100 metre

Medium duty audio cable. 46 strands, 0.93mm². Suitable for standard audio speaker wiring in home, car and for other hobby circuits. Packaged: Reel



Pack Qty 4
APN 9311324009039

912

Heavy Duty Speaker Cable 100 metre

Superior heavy duty audio cable 112 strands, 1.27mm². Suitable for quality audio speaker wiring in home and car. Recommended for home entertainment applications. Use to wire speakers a long way from amplifier. Packaged: Reel



Pack Qty 2
APN 9311324009121

AP915

Flat Speaker Cable 100 metre

Premium quality. Flat Speaker Cable. 112 strands, 1.27mm². Low profile cable for use under carpet in home or car. Packaged: Reel



Pack Qty 2
APN 9311324089154



Audio Visual

3005 Switch 4 Way Speaker Box

Ideal for situations where you wish to provide stereo sound to several rooms from a single sound system. You can move to another room and switch the sound to follow you. Connect 4 sets of speakers and then switch them to suit.

Packaged: Clamshell

Pack Qty 6

APN 9311324030057



AP400 Optical Fibre Cable 2 metre

Recommended for home theatre and surround sound applications.

Used for optical outlets. TOSLINK connectors. This type of cable is immune to electrical interference. Packaged: Clamshell

Pack Qty 6

APN 9311324082438



AP251 2 Way Bi-Directional Toss Splitter

For splitting fibre optic signal to two separate destinations without sacrificing the quality of the signal.

Packaged: Clamshell

Pack Qty 5

APN 9311324082575



AP253 Toslink Extender

Toslink adaptor to extend audio fibre optic cables for longer distances. Silver colour.

Packaged: Clamshell

Pack Qty 5

APN 9311324083428



2007A Lead 3 RCA Plugs to 3 RCA Plugs 1.5 metre

For interconnecting audio/video signals to different equipment. High quality plated connectors for positive contact. Colour coded for easy identification of cables. Packaged: Clamshell

Pack Qty 5

APN 9311324020072



2116 Lead Piggyback 3 RCA 1.2 metre

For audio/video connections between equipment. Provides piggyback socket for splitting signals to other equipment. Colour coded for easy connection. Packaged: Clamshell

Pack Qty 5

APN 9311324021161



2060 Lead 3 RCA Plugs to 3 RCA Plugs 5 metre

For interconnecting audio/video signals to different equipment. High quality plated connectors for positive contact. Colour coded for easy identification of cables. Packaged: Clamshell

Pack Qty 5

APN 9311324020607



2111 Lead Piggyback 3 RCA 3 metre

For audio/video connections between equipment. Provides piggyback socket for splitting signals to other equipment. Colour coded for easy connection. Packaged: Clamshell

Pack Qty 5

APN 9311324021116



2112 Lead Piggyback 3 RCA 5 metre

For audio/video connections between equipment. Provides piggyback socket for splitting signals to other equipment. Colour coded for easy connection. Packaged: Clamshell

Pack Qty 5

APN 9311324021123



AP211 Lead RCA Plug to RCA Plug 0.9 metre

Recommended for home theatre and surround sound applications. Dual shielded cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell

Pack Qty 6

APN 9311324082209



Audio Visual

AP212 Lead RCA Plug to RCA Plug 1.8 metre

Recommended for home theatre and surround sound applications. Dual shielded cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell

Pack Qty 6
APN 9311324082216



AP213 Lead RCA Plug to RCA Plug 3.6 metre

Recommended for home theatre and surround sound applications. Dual shielded cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell

Pack Qty 6
APN 9311324082223



AP231 Lead 3 RCA Plugs to 3 RCA Plugs 0.9 metre

Recommended for home theatre and surround sound applications. Use for audio/video connections or component video (RGB) connections. Dual shield cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell

Pack Qty 6
APN 9311324082261



AP232 Lead 3 RCA Plugs to 3 RCA Plugs 1.8 metre

Recommended for home theatre and surround sound applications. Use for audio/video connections or component video (RGB) connections. Dual shielded cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell

Pack Qty 6
APN 9311324082278



AP233 Lead 3 RCA Plugs to 3 RCA Plugs 3.6 metre

Recommended for home theatre and surround sound applications. Use for audio/video connections or component video (RGB) connections. Dual shielded cable means added protection against electrical interference. Gold plated connectors. Packaged: Clamshell

Pack Qty 4
APN 9311324082285



2003 Lead 4 RCA Plugs to 4 RCA Plugs 1.5 metre

For interconnecting audio/video signals to different equipment. High quality plated connectors for positive contact. Colour coded for easy identification of cables. Packaged: Clamshell

Pack Qty 5
APN 9311324020034



AP610 Lead Trio 3.5 Plug to 3 RCA Plugs 1.2 metre

Media cable for splitting stereo audio and video signals (3.5mm Plug) to 3 RCA Plugs (Video and L & R Audio). Mixes L & R audio and video signals (RCA) to 3.5mm plug. Colour coded RCA plugs. Packaged: Clamshell

Pack Qty 5
APN 9311324086108



2120 Lead RCA Plug to SVHS Plug Converter 1.2 metre

RCA Plug to SVHS male Bi-directional converter lead. For connecting on S-VHS Input/Output to standard RCA sockets on equipment. Packaged: Clamshell

Pack Qty 5
APN 9311324021208



AP430 Lead SVHS Plug to SVHS Plug 2 metre

Recommended for home theatre applications. Use for S-video outlets. Packaged: Clamshell

Pack Qty 6
APN 9311324082476



AP432 Lead SVHS Plug to SVHS Plug 5 metre

Recommended for home theatre applications. Use for S-video outlets. Packaged: Clamshell

Pack Qty 5
APN 9311324082537





Audio Visual

AP252

Lead SVHS + 2RCA to SVHS + 2RCA 1.2 metre

For audio/video connections between equipment. Includes S-VHS and audio in one wire. 2RCA's can be used for L and R audio. Packaged: Clamshell

Pack Qty 5
APN 9311324082520



AP244

Adaptor SVHS Socket to SVHS Socket

Extends S-VHS leads. Gold plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324082681



AP246

Adaptor SVHS Plug to RCA Socket

RCA Socket to SVHS Plug Bi-directional convertor Adaptor. Converts S-VHS video signal to Composite video signal. Gold plated connectors. Packaged: Clamshell

Pack Qty 5
APN 9311324083763



AP247

Adaptor SVHS Socket to RCA Socket

RCA Socket to SVHS Socket Bi-directional convertor Adaptor. Converts S-VHS video signal to Composite video signal. Gold plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324083329



AP248

Adaptor SVHS Socket to RCA Plug

RCA Plug to SVHS Socket Bi-directional convertor Adaptor. Converts S-VHS video signal to Composite video signal. Gold plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324082506



AP249

Adaptor SVHS + 2RCA Sockets

Extends S-VHS and Audio L & R leads. Compatible with AP252. Gold plated connections for positive contact. Packaged: Clamshell

Pack Qty 5
APN 9311324082674



32

Adaptor SCART to RCA and SVHS

For converting scart connectors to RCA & SVHS. Compact unobtrusive adaptor. Switch for signals incoming or outgoing. Packaged: Clamshell

Pack Qty 5
APN 9311324000326



38

Universal AV Selector Switch

For selecting audio/video connections from different equipment. Up to 3 inputs available. Clearly marked input/output sockets for ease of connection. Provided with one SVHS input. Packaged: Clamshell

Pack Qty 5
APN 9311324000388



AP420

Lead SCART to SCART 2 metre

Recommended for home theatre and surround sound applications. Use for SCART outlets. Packaged: Clamshell

Pack Qty 4
APN 9311324082452



AP425

Lead SCART to 6 RCA Plugs 2 metre

Recommended for home theatre and surround sound applications. Use for SCART outlets. RCA ends marked for easy connection. Packaged: Clamshell

Pack Qty 4
APN 9311324082469



Audio Visual

AP690 VGA Cable 5 metre

VGA Cable used for Monitors, Projectors, LCD. Suitable for home theatre applications. White colour. Packaged; Clamshell



Pack Qty 5
APN 9311324083336

AP691 VGA Extension Cable 5 metre

VGA Extension cable. Used to extend the length of the VGA cables. Packaged: Clamshell



Pack Qty 5
APN 9311324083343

AP440 Lead HDMI 1.5 metre

HDMI Lead for use with digital LCD/Plasma TVs, DVD players, projectors, etc. Fully compatible with Latest HDMI Specification. Gold plated connections for positive contact. Heavy duty. Packaged: Clamshell



Pack Qty 5
APN 9311324084401

AP442 Lead HDMI 3 metre

HDMI Lead for use with digital LCD/Plasma TVs, DVD players, projectors, etc. Fully compatible with Latest HDMI Specification. Gold plated connections for positive contact. Heavy duty. Packaged: Clamshell



Pack Qty 5
APN 9311324084425

AP444 Lead HDMI 5 metre

HDMI Lead for use with digital LCD/Plasma TVs, DVD players, projectors, etc. Fully compatible with latest HDMI specifications. Gold plated connections for positive contact. Heavy duty. Packaged: Clamshell



Pack Qty 5
APN 9311324084449

AP445 Lead Flat HDMI 5 metre

Fully compatible with latest HDMI specifications. Premium quality, gold plated connections for positive contact. Suitable for under carpet applications. Heavy duty. Packaged: Clamshell



Pack Qty 5
APN 9311624084456

AP448 Adaptor HDMI Right Angle

HDMI Cable Adaptor useful for assembling HDMI cables. Right angled. Gold plated connectors. Packaged: Clamshell



Pack Qty 5
APN 9311324083602

AP480 Adaptor HDMI Extender

HDMI Extender. Gold plated connections for positive contact. Useful for extending the length of HDMI cables. Packaged: Clamshell



Pack Qty 5
APN 9311324084807

AP481 Adaptor DVI-D Socket to HDMI Plug

Converts DVI-D signal to HDMI signal (Video only). Gold plated connections for positive contact. Packaged: Clamshell



Pack Qty 5
APN 9311324084814

AP482 Adaptor DVI-D Plug to HDMI Socket

Converts DVI-D signal to HDMI signal (Video only). Gold plated connections for positive contact. Packaged: Clamshell



Pack Qty 5
APN 9311324084821



Audio Visual

AP491 HDMI Repeater

HDMI Repeater for Long Distance Transmission. Used to boost the signal before sending it through HDMI cables for further distances.
Packaged: Clamshell

Pack Qty 2
APN 9311324083527



AP485 2 x 1 Smart HDMI Switch

2 to 1 Smart HDMI Switch connects 2 different devices simultaneously to one LCD.
Selects the active input automatically.
Packaged: Clamshell

Pack Qty 2
APN 9311324083466



AP490 1 x 2 HDMI Splitter

1 to 2 HDMI splitter allows a single digital signal to be sent to two outputs.
Packaged: Clamshell

Pack Qty 2
APN 9311324083510



AP950 Remote AV Sender

Wireless AV Sender up to 60m radius operating distance. 4 interchangeable frequencies for best signal transmission and reception.
Packaged: Clamshell

Pack Qty 2
APN 9311324089505



AP680 Lead iPod USB Data 1.2 metre

iPod compatible. USB Data Lead.
Packaged: Clamshell

Pack Qty 5
APN 9311324083398



AP502 Lead USB "A" Male to USB "B" Male 1.2 metre

USB A Male to USB B Male lead. Shielded with clear PVC. Suitable for computer applications.
Packaged: Clamshell

Pack Qty 5
APN 9311324085026



AP504 Lead USB "A" Male to USB Mini Male 1.2 metre

USB A Male to USB Mini Male. Shielded with Clear PVC. Suitable for camera, mobile phone, MP3 and computer applications.
Packaged: Clamshell

Pack Qty 5
APN 9311324085040



AP505 Adaptor USB

Converts USB A Female to USB B Male.
Suitable for computer applications.
Packaged: Clamshell

Pack Qty 5
APN 9311324085057



AP601 Adaptor USB Extender

USB A Female to USB A Female USB Adaptor. Ideal for USB cable extension.
Packaged: Clamshell

Pack Qty 5
APN 9311324083435



AP650 Lead 4 Pin to 4 Pin Firewire 2.0 metre

4 Pin to 4 Pin Firewire Lead for fast data rates transfer.
Packaged: Clamshell

Pack Qty 5
APN 9311324083350



Audio Visual

AP651

Lead 6 Pin to 6 Pin Firewire 2.0 metre

6 Pin to 6 Pin Firewire Lead for fast data rates transfer.
Packaged: Clamshell



Pack Qty 5
APN 9311324083367

AP652

Lead 4 Pin to 6 Pin Firewire 2.0 metre

4 Pin to 6 Pin Firewire Lead for fast data rates transfer.
Converts between 4 pin and 6 pin firewire types.
Packaged: Clamshell



Pack Qty 5
APN 9311324083374

173

Wallplate 2 RCA Sockets

Standard wallplate outlet fitting. Use for wiring home theatre applications. Gold plated for perfect connection. Comes with plaster bracket.
Packaged: Clamshell



Pack Qty 5
APN 9311324001736

174

Wallplate 4 RCA Sockets

Standard wallplate outlet fitting. Use for wiring home theatre applications. Gold plated for perfect connection. Comes with plaster bracket.
Packaged: Clamshell



Pack Qty 5
APN 9311324001743



Antenna Accessories

10 Connector Metal Coaxial Plug

Used for terminating coaxial cables.
Easy to use screw type connections.
All metal for best connection.
Packaged: Clamshell

Pack Qty 5
APN 9311324000104



18 Connector Metal Coaxial Socket

Used for terminating coaxial cables.
Easy to use screw type connections.
All metal for best connection.
Packaged: Clamshell

Pack Qty 5
APN 9311324000180



67 Connectors Metal Coaxial Male/Female Pair

Used for terminating coaxial cables.
Easy to use screw type connections.
All metal for best connection.
Suitable for repairing damaged cables or making
extension cables.
Packaged: Clamshell

Pack Qty 5
APN 9311324000678



34 Connector Antenna Balun PAL Type

For connection of coaxial cables to TV antenna.
UV resistant. Fits most TV antennas.
Packaged: Clamshell

Pack Qty 5
APN 9311324000340



119 Connector Ribbon to Coaxial Plug

Connects older ribbon cable to coaxial PAL inputs.
Easy screw type connector.
Packaged: Clamshell

Pack Qty 5
APN 9311324001194



15 Splitter Indoor 2 Way Junction

For splitting TV signal to 2 different locations.
Used in ceilings or under floors.
Easy to use screw type connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324000159



17 Splitter Indoor 4 Way Junction

For splitting TV signal to 4 different locations.
Used in ceilings or under floors.
Easy to use screw type connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324000173



122 2 Way Indoor Splitter

For splitting TV signal to 2 TV sets. Also split TV
signal to TV and VCR etc. Simple push on connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324001224



222 Right Angle Indoor Splitter

Used for splitting TV signal to 2 TV sets.
Used for splitting TV signal to TV and VCR.
Right angle for compact applications.
Easy to use push on connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324002221



19 Splitter Indoor 4 Way Junction

For splitting of TV signal to 4 different points.
For use on TV's, VCR's, FM HiFi's etc.
Easy to use push on connectors.
Packaged: Clamshell

Pack Qty 5
APN 9311324000197



Antenna Accessories

65 Coaxial Cable RG59U 15 metre

Used for connecting antenna to splitters. Easy for connecting splitters to TV wallplate. Made from high quality RG59U coaxial cable. Packaged: Clamshell

Pack Qty 5
APN 9311324000654



85 Coaxial Cable Antenna Kit 10 metre

For connecting antenna to TV wallplate. Made from high quality RG59U coaxial cable. Packaged: Clamshell

Pack Qty 5
APN 9311324000852



117 Lead TV/VCR & Adaptor 1.5 metre

For connection of TV wallplate outlet to TV/VCR. For connection of TV to VCR. Comes with adaptor for converting male plugs to female sockets. Packaged: Clamshell

Pack Qty 5
APN 9311324001170



2222 Lead TV/VCR & Adaptor 1.5 metre

For connection of TV wallplate outlet to TV/VCR. For connection of TV to VCR. Comes with adaptor for converting male plugs to female sockets. White colour. Packaged: Clamshell

Pack Qty 5
APN 9311324022229



2224 Lead TV/VCR & Adaptor 3 metre

For connection of TV wallplate outlet to TV/VCR. For connection of TV to VCR. Comes with adaptor for converting male plugs to female sockets. White colour. Packaged: Clamshell

Pack Qty 5
APN 9311324022243



764 Lead TV/VCR & Adaptor 6 metre

Suitable for connecting the TV signal to TV/VCR units up to 6 metres away. Includes an adaptor plug to change the gender of the male plug to female. Packaged: Clamshell

Pack Qty 5
APN 9311324007646



86 Lead TV/VCR & Adaptor 10 metre

For connection of TV wallplate outlet to TV/VCR. Moulded male PAL TV coaxial plugs. Female to female coaxial adaptors. Packaged: Clamshell

Pack Qty 5
APN 9311324000869



778 Adaptors Coaxial

For converting male plugs to female sockets. For converting female sockets to male plugs. For extending length of plugs. Packaged: Clamshell

Pack Qty 5
APN 9311324007783



AP040 Adaptor Right Angle PAL

PAL male to PAL socket adaptor. Makes it easy for antenna PAL lead installations. Packaged: Clamshell

Pack Qty 5
APN 9311324080403



125AS Joiner Coax Cable

For connecting coaxial cables. For repairing damaged cables. Not suitable for digital TV applications. Packaged: Clamshell

Pack Qty 5
APN 9311324001255





Antenna Accessories

AP148 Adaptor F Male to PAL Female

Used for converting standard PAL TV female plugs to F-outlets. Use for digital TV.
Packaged: Clamshell

Pack Qty 6
APN 9311324082049



AP149 Adaptor F Female to PAL Male

Used for converting F-outlets to standard PAL TV plugs. Use for digital TV or upgrading of existing TV.
Packaged: Clamshell

Pack Qty 6
APN 9311324082056



AP145 Connector Twist-On for RG6 QUAD Shield Cable

Used to properly terminate RG6 QUAD shield coaxial cable. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 6
APN 9311324082018



AP150 Connector Crimp for RG6 Cable

Used for proper terminating of RG6 coaxial cable. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 6
APN 9311324082407



AP151 Connector Twist-On for RG6 Dual Shield Cable

Used to properly terminate RG6 DUAL shield coaxial cable. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 6
APN 9311324082414



AP152 Connector Crimp for RG6 Cable

Used for terminating RG6 coaxial cable. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 6
APN 9311324082490



AP147 Connector Antenna Balun F Type

Used for connecting coaxial cable to TV antennas. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 6
APN 9311324082032



AP153 RG6 QUAD Shield Cable 10 metre

QUAD shield cable for interference free distribution of TV signals. Recommended for any new TV wiring. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 3
APN 9311324082155



AP142 2 Way Splitter F-Connector Sockets

2 Way F-connector splitter designed for splitting of TV signal with minimum interference and loss. Use for digital TV applications. With power pass port for use with most head amplifier installations.
Packaged: Clamshell

Pack Qty 6
APN 9311324082094



AP143 3 Way Splitter F-Connector Sockets

3 Way F-connector splitter designed for splitting of TV signal with minimum interference and loss. Use for digital TV applications. With power pass port for use with most head amplifier installations.
Packaged: Clamshell

Pack Qty 6
APN 9311324082100



Antenna Accessories

AP144 4 Way Splitter F-Connector Sockets

4 Way F-connector splitter designed for proper splitting of TV signal with minimum interference and loss. Use for digital TV applications. With power pass port for use with most head amplifier installations.
Packaged: Clamshell

Pack Qty 6
APN 9311324082117



AP111 Lead F-Connector Quad Shield 1.5 metre

QUAD Shield flylead for virtually interference free distribution of TV signals. Adaptors for conversion to standard TV plugs. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 6
APN 9311324082124



AP113 Lead F-Connector Quad Shield 3 metre

QUAD shield flylead for virtually interference free distribution of TV signals. Adaptors for conversion to standard TV plugs. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 4
APN 9311324082131



AP115 Lead F-Connector Quad Shield 5 metre

QUAD shield flylead for virtually interference free distribution of TV signals. Adaptors for conversion to standard TV plugs. Extra long 5 metre for those distant appliances. Use for digital TV applications.
Packaged: Clamshell

Pack Qty 4
APN 9311324082148



AP146 Joiners F-Connector Type

Used for extending F-connector coaxial cable. Used for digital TV or upgrading of existing TV.
Packaged: Clamshell

Pack Qty 6
APN 9311324082025



AP700 VHF/UHF Masthead Amplifier with 2 Outputs

Masthead Amplifier with splitter. For effective amplification of the TV signal received by TV antenna(s). Use in weak TV signal areas or for multiple TV's. Use with individual VHF and/or UHF antennas or a single combination of both. Output capacity 88dBuV.
Packaged: Clamshell

Pack Qty 2
APN 9311324087006



AP842 Plug Through 2 Way Amplifier

Plug through 2 way amplifier. 47-862MHz frequency range. Plug through main socket. Suitable to amplify and distribute TV signals between two A/V components in one room.
Packaged: Clamshell

Pack Qty 2
APN 9311324088423



AP852 2 Way Distribution Amplifier

2 way Distribution Amplifier 2 inputs 2 outputs. Side mounted terminals provide easy cable management. Full VHF compatibility for TV and FM. 12dB output.
Packaged: Clamshell

Pack Qty 2
APN 9311324088522



AP854 4 Way Distribution Amplifier

4 way Distribution Amplifier 2 inputs 4 outputs. Side mounted terminals provide easy cable management. Full VHF compatibility for TV and FM. 12dB output.
Packaged: Clamshell

Pack Qty 2
APN 9311324088546



AP858 8 Way Distribution Amplifier

8 way Distribution Amplifier 2 inputs 8 outputs. Side mounted terminals provide easy cable management. Full VHF compatibility for TV and FM. 10dB output.
Packaged: Clamshell

Pack Qty 2
APN 9311324088584





Antenna Accessories

2080 Antenna Connection Kit

Economically priced TV antenna installation kit. Convenient kit contains products suitable for the installation of 2 TV points in the house and comes with 30 metres of coaxial cable. Packaged: Colour carton

Pack Qty 1
APN 9311324020805



121 Skirting PAL Outlet

For terminating of coaxial cable onto skirting boards. Easy to use screw type connection. Screws included. Packaged: Clamshell

Pack Qty 5
APN 9311324001217



AP162 Skirting F Connector Outlet

TV outlet designed for F-connector TV flyleads. Use for digital TV applications. For terminating of coaxial cable onto skirting boards. Screws included. Packaged: Clamshell

Pack Qty 4
APN 9311324082063



25/27 Wallplate PAL Outlet

Standard TV wallplate outlet fitting. Easy screw type connection at rear for TV coaxial cable. Comes with plaster bracket and screws. Packaged: Clamshell

Pack Qty 5
APN 9311324025275



13 Wallplate PAL with FM Outlets

Standard TV wallplate outlet fitting. Easy screw connection at rear for TV coaxial cable. Integrated FM output for connection to HiFi systems. Comes with plaster bracket and screws. Packaged: Clamshell

Pack Qty 5
APN 9311324000135



AP164 Wallplate PAL and F-Connector Outlets

Standard TV wallplate with F-connectors for complete solution to digital or pay TV applications. Easy and convenient to use for neat proper terminating of coaxial cable. Comes with plaster brackets and screws. Packaged: Clamshell

Pack Qty 6
APN 9311324082483



AP161 Wallplate F-Connector Outlet

Standard TV wallplate with F-connector. Ideal for home and handyman use. Easy and convenient to use for neat proper terminating of coaxial cable. Suitable for digital TV. Comes with plaster brackets and screws. Packaged: Clamshell

Pack Qty 6
APN 9311324082070



AP163 Wallplate F-Connectors and 4 RCA Outlets

TV wallplate with F-connector and 4 RCA outlets. Ideal for complete solution to digital or pay TV applications. Incorporate your home entertainment and TV applications with one simple wallplate. Comes with plaster brackets and screws. Packaged: Clamshell

Pack Qty 6
APN 9311324082087



901 Coaxial Cable RG59U 100 metre

75 Ohm common type coaxial cable. Suitable for outdoor/indoor antenna installations. Packaged: Reel

Pack Qty 4
APN 9311324009015



910 Twin Feeder Ribbon Cable 100 metre

Black ribbon TV cable. 300 Ohm twin feeder cable. Popular cable for older regional installations. NOT recommended for new installation. Packaged: Reel

Pack Qty 8
APN 9311324009107



Antenna Accessories

918

Coaxial Cable RG6 Dual Shield 150 metre

Quality RG6 dual shield type, 75 Ohm coaxial cable. Suitable for outdoor/indoor antenna installations. Recommended for upgrading of existing installations. Packaged: Reel

Pack Qty 2
APN 9311324009183



919

Coaxial Cable RG6 Quad Shield 150 metre

Quality RG6 quad shield type, 75 Ohm coaxial cable. Suitable for outdoor antenna installations. Recommended for upgrading of existing installations. Recommended for new home cabling and digital TV installations. Packaged: Reel

Pack Qty 2
APN 9311324009190



102

Cable Clips 6mm White 20 Pieces

For securely fixing coaxial cable or speaker cables to timber or concrete. Masonry nails. Packaged: Clamshell

Pack Qty 5
APN 9311324001026



103

Cable Clips 6mm Black 20 Pieces

For securely fixing coaxial cable or speaker cable to timber or concrete. Masonry nails. Packaged: Clamshell

Pack Qty 5
APN 9311324001033



AP1601

Straight Mast Galvanised 1.8 metre

An expandable antenna mast. Three inter-lockable parts, 700mm lengths each. Total net length 1.8m. 32mm outer diameter straight seamed tubular steel. Galvanised finish for longer life. Suitable for most outdoor antenna installations. Packaged: Colour carton

Pack Qty 4
APN 9311324016013



AP1612

Fascia Mount Galvanised 1.4 metre

An expandable fascia mount. Three inter-lockable parts. 2 x 700mm length straight parts and a right angle part. Total straight net length 1.4m. 32mm outer diameter straight seamed tubular steel. Suitable for most outdoor antenna installations. Packaged: Colour carton

Pack Qty 4
APN 9311324016129



Code 622

Eave Mount 27 0.68 metre (27")

Popular antenna eaves mount. Suitable for most outdoor antenna installations. Galvanised finish for longer life. Packaged: Colour carton

Pack Qty 6
APN 9311324006229



Code 620AS

Eave Mount 9 0.23 metre (9")

Popular antenna eaves mount. Suitable for most outdoor antenna installations. Galvanised finish for longer life. Packaged: Colour carton

Pack Qty 6
APN 9311324006205



630

Chimney Kit Galvanised

Popular antenna chimney mount. Suitable for most outdoor antenna installations. Galvanised finish for longer life. Packaged: Colour carton

Pack Qty 4
APN 9311324006304




635

Tile Roof Mount

Popular antenna tile mount. Suitable for most outdoor antenna installations. Galvanised finish for longer life. Packaged: Colour carton

Pack Qty 4
APN 9311324006359





Antenna Accessories

AP1679 Guy Wire Kit

High quality guy wire kit for securing tall masts to buildings. A requirement of Australian Standards that every mast over 3 meters in height and every 3 meters there after to use guy wire kit. Galvanized for long life. Packaged: Colour carton

Pack Qty 4
APN 9311324016792



661BAS Clamp U-Bolt & V-Block 6.3mm (1/4")

Used to attach antenna mounts to small size mounting mast. Galvanized for long life. Packaged: Colour carton


Pack Qty 5
APN 9311324661008



653B Clamp U-Bolt & V-Block 8mm (5/16")

Used to attach antenna mounts to large size mounting mast. Galvanized for long life. Packaged: Colour carton


Pack Qty 5
APN 9311324653003



669B Clamp U-Bolt & Offset V-Block 6.3mm (1/4")

Used to attach antenna mounts to mounting at right angles. Galvanized for long life. Packaged: Colour carton

Pack Qty 5
APN 9311324006694



APK300 Crimp Tool Kit with Connectors

Kit contains crimping tool and four F-crimp connectors for use in terminating RG6 DUAL shield coaxial cables. Packaged: Clamshell

Pack Qty 6
APN 9311324082384



APT106 Heavy Duty Crimp Tool

Heavy duty construction for use in RG59U and RG6 F-connector crimps. Packaged: Clamshell

Pack Qty 6
APN 9311324082353



APT332 Stripping Tool

High quality adjustable stripping tool. For use in stripping RG59U and RG6 coaxial cables. Packaged: Clamshell

Pack Qty 6
APN 9311324082377



Antenna Indoor

AP538 Indoor Antenna

Economically priced. Rabbit Ear Indoor Antenna with UHF section.
Suitable for VHF/UHF in prime TV reception areas.
Suitable for digital TV applications.
Packaged: Clamshell

Pack Qty 10
APN 9311324083305



71 Rabbit Ears Antenna

Economically priced indoor antenna.
Suitable for VHF/UHF in prime TV reception areas.
Suitable for digital TV applications.
Packaged: Clamshell

Pack Qty 5
APN 9311324006434



AP539 Indoor Antenna with Digital Clock

High Gain Indoor Antenna with blue backlight digital clock. Gain control knob and adjustable front face.
Suitable for VHF/UHF in prime TV reception areas.
Suitable for digital TV applications.
Packaged: Colour carton

Pack Qty 2
APN 9311324083312



AP537 High Gain Indoor Antenna

High Gain Indoor TV Antenna with Gain control knob and adjustable front face. Fitted with F-connector. 35dB gain. Suitable for digital TV applications.
Packaged: Colour carton

Pack Qty 2
APN 9311324083299



AP528 Amplified Indoor Antenna

High gain indoor antenna. Compact size with stylish design. Suitable for VHF/FM/UHF in prime reception areas. Provide with adjustable gain control.
Suitable for digital TV applications.
Packaged: Colour carton

Pack Qty 5
APN 9311324083282



AP530 Picture Frame TV Indoor Antenna

Picture Frame/ high gain Indoor Antenna. Suitable for VHF/FM/UHF in prime reception areas. Silver colour in stylish design. Digital compatible.
Packaged: Clamshell

Pack Qty 4
APN 9311324083657



AP531 Picture Frame TV Indoor Antenna

Picture frame. High gain low noise indoor antenna. Suitable for VHF/FM/UHF in prime reception areas.
Stylish design. Suitable for digital TV applications.
Packaged: Clamshell

Pack Qty 6
APN 9311324083664



AP540 2.4 GHz Compact Broadband Antenna

2.4 GHz Compact Broadband Antenna. Comes with SMA Male reverse connector. Compact design. Easy to install. Suitable to extend the range of wireless internet at home. Covers up to 20 metres radius distance.
Packaged: Clamshell

Pack Qty 2
APN 9311324083749





Antenna Outdoor

AP535

Outdoor/Indoor Antenna with Built in Amplifier

Outdoor/Indoor Antenna with built in Amplifier. Suitable for VHF/FM/UHF in prime reception areas. 20 dB gain. Silver colour in stylish design. Digital compatible. Under the eaves installation which makes outdoor antenna hidden. Packaged: Clamshell

Pack Qty 2
APN 9311324083701



AP515

Omni-Directional Caravan TV Antenna

Suitable for Caravans, Boats and Mobile homes. Omni directional, low profile antenna. 360 deg reception. Built in amplifier. Suitable for VHF/UHF (Ch 1-12 and 21-69) in prime to medium TV reception areas. Comes with gain control box. Packaged: Colour carton

Pack Qty 2
APN 9311324083732



521

Caravan Outdoor Antenna

Economically priced antenna suitable for caravans and also homes in the prime TV reception areas. Suitable for digital TV applications (Ch 2-12 and 21-69) VHF and UHF sections separately adjustable to vertical and/or horizontal polarity. Packaged: Bag

Pack Qty 1
APN 9311324005215



162C

Easyfit Outdoor Antenna

Economically priced antenna. Suitable for VHF/UHF in prime TV reception areas. Suitable for digital TV applications. (Ch 2-12 and 21-35). Comes with balun and 10 metre TV fly lead. Packaged: Bag

Pack Qty 1
APN 9311324001620



492

Standard Outdoor Antenna

TV antenna suitable for combination VHF/FM/UHF in prime TV reception areas. Suitable for digital TV applications (Ch 2-12 and 21-33). Comes with balun. Packaged: Bag

Pack Qty 1
APN 9311324004928



506

Combination Outdoor Antenna

TV antenna suitable for combination VHF/FM/UHF in medium TV reception areas. Suitable for digital TV applications (Ch 2-12 and 21-36). Comes with balun. Packaged: Bag

Pack Qty 1
APN 9311324005062



508C

Combination Outdoor Antenna

Popular TV antenna suitable for combination VHF/FM/UHF in medium TV reception areas. Suitable for digital TV applications (Ch 2-12 and 21-36). Comes with Balun. Packaged: Bag

Pack Qty 1
APN 9311324005086



512

High Gain Combination Outdoor Antenna

TV antenna suitable for combination VHF/FM/UHF in fringe TV reception areas. Suitable for digital applications. (Ch 2-12 and 21-35). Comes with balun. Packaged: Bag

Pack Qty 1
APN 9311324005123



572

Regional VHF/UHF Outdoor Antenna

TV antenna suitable for combination VHF/FM/UHF prime to medium TV reception areas. Suitable for digital TV. VHF and UHF sections separately adjustable to vertical and/or horizontal polarity as required for some areas (Ch 2-12 and 21-69). Comes with balun. Packaged: Bag

Pack Qty 1
APN 9311324005727



574

Regional VHF/UHF Outdoor Antenna

TV antenna suitable for combination VHF/FM/UHF medium to fringe TV reception areas. Suitable for digital TV. VHF and UHF sections separately adjustable to vertical and/or horizontal polarity as required for some areas (Ch 2-12 and 21-69). Comes with balun. Packaged: Bag

Pack Qty 1
APN 9311324005741



Antenna Outdoor

533

UHF Super Multiband 23 Element Antenna

23 element UHF only antenna. Suitable for prime to medium TV reception areas. Suitable for digital TV applications (Ch 21-69). Also suitable for regional & metro UHF TV reception only. Bracket can mount antenna in horizontal or vertical plane.

Packaged: Bag

Pack Qty 1

APN 9311324005338



534

UHF Super Multiband 43 Element Antenna

43 element UHF only antenna. Suitable for medium to fringe TV reception areas. Suitable for digital TV applications (Ch 21-69). Also suitable for regional & metro UHF TV reception only. Bracket can mount antenna in horizontal or vertical plane.

Packaged: Bag

Pack Qty 1

APN 9311324005345



536

High Gain UHF Only Antenna

'Phased Array' antenna suitable for medium to fringe TV reception areas where UHF ghosting is a problem. Very directional antenna with bracket that allows for horizontal or vertical mounting. UHF only. (Ch 21-69). Packaged: Bag


Pack Qty 1

APN 9311324005369





Notes





**Address : 272-274 Maroondah Highway,
Chirnside Park, Victoria 3116, Australia**

Mail : PO BOX 181 Lilydale, Victoria 3140, Australia

Phone : +613 9727 8860

Fax : 1300 360 650